# **SMARTVIDE 9 230/50-60/1**

Max. capacity: 56 lt./14 gal.



P/N 1180140



tasks while the product is being cooked. Just program temperature and time, SmartVide will do the rest. 4 buttons and a full-colour TFT display that offers all the information at a glance makes operation a chil's play. Moreover, thanks to Bluetooth connectivity, SmartVide 9 allows for an interchange of important data to improve the che's performance.

- Portable: thanks to their thick, stainless steel, ergonomic handle, SmartVide9 can be taken from a container to another easily. Additionally, the bag supplied with the circulator allows easy transport - wherever the Chef goes.
- ✓ HACCP-ready: thanks to Bluetooth connectivity, it is possible to export or print cooking results at the end of each cycle.
- Your appliance, always updated: free firmware update, no matter where the appliance is.

### **NCLUDES**

√ Transport bag.

## **A**CCESSORIES

- Needle Probe for sous-vide cookers
- □ Probe Foam Seal
- ☐ Insulated tank for SmartVide immersion circulator
- ☐ Lid for SmartVide insulated
- tanks
- □ Floating balls for SmartVide
- □ SmartVide transport bag
- Smooth bags for sous-vide cooking

# SALES DESCRIPTION

Commercial high-precision sous-vide cooker. Reliable, user-friendly, portable.

Interchangeable between °C and °F.

- Bluetooth connectivity.
- √ HACCP-ready.
- √ Optional core probe.
- √ Firmware update.

# Portable precision cooker with stirrer for up to 56 lt. / 14 gal. containers. Designed for chefs, developed with chefs.

- The thick stainless steel, robust construction guarantees commercial performance.
- SmartVide guarantees cooking at a precisely controlled temperature while preserving the quality of the product, enhancing flavour and texture. Equipped with a highly precise temperature control system to obtain extremely consistent results. An optional core probe allows getting an even more precise control.
- Allows cooking food in their own juice and using this juice immediately after cooking to enhance flavours.
- ✓ Marinates and macerates an ingredient in half the time.
- Infuses and flavours oil, fat or other products applying the controlled temperature technique.
- ✓ Increases **profits** due to lack of product shrink.
- ✓ Requires very little hands-on time, allowing the Chef to do other





20720 Azkoitia, Spain







Project	Date
Item	Qty

# sammic

# **SMARTVIDE 9 230/50-60/1**

Max. capacity: 56 lt./14 gal.



FOOD PRESERVATION AND SOUS-VIDI

P/N 1180140

# **SPECIFICATIONS**

### **Temperature**

Display precision: 0.01 °C Range: 5 °C - 95 °C

Permissible ambient temperature:  $5 \, ^{\circ}\!\! \text{C}$  - 40

°C

### Time

Resolution: 1 '

Cycle duration: 1 ' - 99 h

### **General features**

Maximum recipient capacity: 56 l

Total loading: 2000 W

Electrical supply:230 V / 50-60 Hz / 1  $\sim$ 

Plug: EU

Submergible part dimensions: 117 mm x

110 mm x 147 mm


External dimensions (WxDxH): 124 mm x


140 mm x 360 mm

Net weight: 4.2 Kg

### **Crated dimensions**

440 x 190 x 310 mm Gross weight: 5.8 Kg.







Polígono Basarte, 1. 20720 Azkoitia, Spain phone +34 943 15 72 36 sales@sammic.com



Project	Date
Item	Qty