

SAMMIC AUSTRALIA

QUALITY FOODSERVICE EQUIPMENT



February 2025 | Catalogue



SAMMIC
AUSTRALIA

Issued 02/2025

© Sammic Australia Pty Ltd

THIS PUBLICATION IS COPYRIGHT

Other than for the purposes & subject to the conditions prescribed under the Copyright Act, no part of this book may be in any form or by any means, electronic, mechanical, micro-copying, photocopying, recording or otherwise, be reproduced, stored in a retrieval system or transmitted without prior written permission.

NOTE: While due care has been taken in the preparation of this catalogue, Sammic Australia Pty Ltd will not be held responsible for any errors or omissions.

Specifications are subject to change without notification due to Sammics' continuous improvement policies.

All products are manufactured in compliance with local and international electrical authorities. This price list supersedes all previous price lists.



Product group from well-managed forests and recycled wood or fiber
www.fsc.org Cert no. SGS-COC-2586
© 1996 Forest Stewardship Council



All Greenhouse Gas emissions associated with printing this product have been offset.

This product is 100% Carbon Neutral

By buying products with an FSC Label, you are supporting the growth of responsible forest management worldwide

Index

Ware Washing

Glasswasher	7
Dishwasher	7
Pass Through Dishwashers	8
Pot & Utensil Washer	9
Ware Washing Baskets	10
Cutlery Polishers	11
Glass Polisher	11
Fiamma Knife Steriliser	12

Food Preparation

Potato Peelers	14
Automatic Chipper and Salad Dryers	15
Chefmaster Range	16
Vegetable Preparation - Compact Range	26
Vegetable Preparation - Heavy Duty Range	31
Hand Chipper	38
Mixers	39
Food Blender	39
FRIX AIR	40
Emulsionizer 1.0	41
Hand Blenders & Beaters	42
Turbo Liquidiser	46

Food Preservation + Sous Vide

Vacuum Packing Machines	48
Vac-Norm and Accessories	53
Vacuum Packing Bags	54
External Vacuum Packing Machines	55
Sous - Vide Range	56

Drink Preparation

Centrifugal Juicers	62
Citrus Juicers	63
Automatic Orange Juicer & Cold Press Juicer	65
Blenders & Drink Preparation	66
Coffee Grinders	69
Ice Crushers	72

Ice Cream Machines

I-Green Benchtop	74
High Production Machines	75
Storage and Display	77

Other Products

Crepe Plates and Microwaves	80
Toasters & Contact Grills	81
Dry Herb and Spice Grinders	82

Service Agents

The 2025 Sammic® Australia Catalogue has been designed to help you easily find the product for your specific application or need.

The Sammic® catalogue is the most comprehensive publication for the supply of quality catering equipment in Australia.

Throughout this catalogue products and information can be found faster using the easy to use colour-coded, directory type listings to help you navigate each section.

Within the product listings you will also find helpful information along with full colour images (where available) for most of our product range to assist you in identifying the part or equipment you need.

Sammic Australia have over 2550 products and spare parts available. In the supply of commercial kitchen equipment to the hospitality industry, Sammic Australia is a market leader.

All prices quoted in this catalogue are subject to GST.



SAMMIC

A U S T R A L I A

QUALITY FOODSERVICE EQUIPMENT

THE WORLD OF SAMMIC

Sammic Australia is a wholesale distributor of imported quality European commercial catering equipment, suitable for all food service establishments such as restaurants, hotels, cafe's, clubs, pubs, health & aged care facilities, hospitals, contract caterers, mining camps, etc. We offer a specialised range covering ware washing, food

preparation, food preservation and a variety of other focused products, all of which carry a minimum 12 month parts & labour warranty. We also carry an extensive range of spare parts for all of our products in our Melbourne warehouse and our service agents are represented across all major capital cities & most regional areas throughout Australia.

WWW.SAMMIC.COM.AU

WAREWASHING





Sammic presents a new family of Ware Washing machines to meet the challenges of a new era. It offers the latest washing technologies that are simple and intuitive to use. A new flexible and customisable design to meet the expectations of a wide range of professionals. Guaranteeing the performance and reliability that have characterised Sammic dishwashers for over 50 years.

A Family with Values

The new generation of Sammic dishwashers is based on key design principles to provide an advanced user experience.

Common Features of the Range

	Hygiene and Sanitisation		Deep-drawn Bodywork		Advanced Loading Height
	Hydroblade Arms		3-Stage Filters		Water Renewal System
⇒ Built-to-last		⇒ New Doors		⇒ Flow Elevation System	

Sani-control: Thermal Lock

Ensures that rinsing is only carried out when the ideal temperature for sanitisation has been reached. All dishwashers are designed according to the DIN10534 standard to ensure optimum disinfection.

Ergonomic and Robust

The new Sammic dishwashers have been designed using the latest manufacturing technologies, such as the deep-drawn process for the manufacture of the wash chambers. This construction technique offers numerous advantages that are useful on a day-to-day basis.

Ecology and cost savings

The new deep-drawn tanks offer a higher wash performance with a 30% saving* in water. Reduced water consumption saves other valuable resources, offering further savings and preserving the environment.



Ware Washing | Undercounter

- Sani-Control: Thermal lock & guaranteed disinfection in compliance with standard DIN10534
- Double walled body for heating efficiency & acoustic management
- Deep drawn chambers: integrated rack guides with rounded edges, enhanced load height & optional extra rack guides to facilitate 2 racks at a time
- New Hydroblade™ arms with redesigned nozzles ensure the curtain of water is more uniform & powerful while generating a sharper spray panel
- 3 stage filter system traps even the smallest debris, protecting the tubing and wash pumps internally
- Partial renewal of wash water after each cycle
- Wash Plus+ function increases intensity for greater washing efficiency when needed
- Soft Start: progressive start of washing pump to protect fragile items

Ware Washing | Glasswasher

► **UX-40SB DD GLASSWASHER** 230V/50Hz/1~ \$6,245

Complete with drain pump, detergent & rinse aid dosing equipment, cold rinse function, flat basket, plate basket & small cutlery basket.

Optional: 2319660 - Double Rack Kit \$380
 2310671 - High Feet Set \$195
 1310014 - Stainless Steel Stand \$795



Ware Washing | Dishwasher

► **UX-50SBC DD DISHWASHER** Multi phase \$8,300

Complete with drain pump, detergent & rinse aid dosing equipment, flat basket, plate basket & small cutlery basket.

Optional: 2319771 - Double Rack Kit \$425
 2310671 - High Feet Set \$195
 1310012 - Stainless Steel Stand \$845



SPECIFICATIONS	UX-40SB DD	UX-50SBC DD
Cycle Duration	90 / 120 / 150 / 180"	90 / 120 / 150 / 180"
Water Consumption /Cycle	1.9L	2.5L
Maximun Load Height	300mm	380mm
Pump Power	0.33Hp / 250W	1Hp/750W
Tank	1200W	1800W
Boiler	2500W	3000W
Total Loading	2750W (15A)	3750W (15A)
Wash Tank Capacity	9L	14L
Basket Dimensions - w x d x h (mm)	400 x 400	500 x 500
External Dimensions - w x d x h (mm)	490 x 540 x 710	600 x 635 x 835
Net Weight	41.5kg	72kg

Ware Washing | Pass Through Dishwashers

► **UX-120SBC DD** 230-400V/50Hz/3~ \$13,800

Comes complete with drain pump, pressure pump, detergent & rinse aid dosing equipment, flat basket, plate basket and cutlery basket.

- Thermal lock & guaranteed disinfection in compliance with standard DIN 10534
- Double walled body for heating efficiency & acoustic management
- Deep drawn chambers: integrated rack guides with rounded edges & compact tank volume – 50% water saving compared to previous range
- Hydroblade™ washing arms with redesigned nozzles for greater washing performance
- 3-stage filter system: surface (SS), tank and extraction
- “Flow” opening mechanism: allows the hood to be raised with less effort
- Soft start: progressive start-up of the washing pump to protect fragile items
- Colour LCD screen that can be viewed from all angles with cycle status display and easy icon and colour coding
- Wash Plus+ function: increases the intensity of the wash cycle for greater cleaning performance



► **UX-120SBCV DD** 230-400V/50Hz/3~ \$18,300

Comes complete with drain pump, pressure pump, detergent & rinse aid dosing equipment, flat basket, plate basket and cutlery basket.

- Steam condenser module allows the machine to collect the steam from hot water inside the tank and use its energy to heat the incoming water
- Reduces the steam released into the installation by >75%
- Factory-integrated condenser module - no installation required



► **2319848** External Panel for UX Pass Through Dishwashers \$800

Control your dishwasher with maximum comfort.

- Allows easy access to the dishwasher's control board in configurations that make it difficult to access the integrated control panel.
- Control panel with IP65 humidity protection.
- Maximum installation distance: 3m.



SPECIFICATIONS	UX-120SBC DD	UX-120SBCV DD
Cycle Duration	60/ 90/ 100/ 150/ 210”	60/ 90/ 100/ 150/ 210”
Water Consumption /Cycle	2.8L	2.8L
Maximun Load Height	430mm	430mm
Pump Power	1.3Hp / 1000W	1.3Hp / 1000W
Total Loading	10,000W	10,000W
Wash Tank Capacity	25L	25L
Basket Dimensions - w x d x h (mm)	500 x 500	500 x 500
External Dimensions - w x d x h (mm)	650 x 755 x 1520	650 x 755 x 2035
Height Open	2000mm	2035mm
Net Weight	135kg	159kg

Ware Washing | XL Pass Through & Pot Washer



► UX-150SBC DD	XL Pass Through Dishwasher	400V/50Hz/3~	\$19,850
► UX-150SBCV DD	XL Pass Through Dishwasher with Steam Condenser		\$24,950

The perfect 'in between', the UX-150 offers a larger washing area to maximise output and manage larger items as needed. Comes complete with drain pump, pressure pump, detergent & rinse aid dosing equipment, basket for glasses and pots, plate basket, cutlery insert.

- Basket size: 600mm x 500mm
- Control panel located on top of hood so unit can be installed in desired space
- Thermal lock and guaranteed disinfection (in accordance with standard DIN 10534)
- Double skinned structure for heating efficiency and acoustic management
- 3-Stage filtration system - surface, tank and extraction
- Soft Start & Wash Plus+ functions: progressive startup to protect fragile items and increased intensity of the wash cycle for greater cleaning performance
- Dedicated cycles: select ideal wash program using easily identifiable icons
- 'V' in code includes steam condenser unit, reducing steam released into the workspace by >75%



► UX-750BC DD	Pot & Utensil Washer	400V/50Hz/3~	\$30,690
----------------------	----------------------	--------------	-----------------

Ideal for washing large sized pots and wares. They are powerful and high pressure: specially designed for restaurants, ice-cream shops, bakeries and butcheries.

Comes with drain pump, detergent dosing equipment & s/steel basket

- Double construction complete with rinsing boiler & booster pump
- Door divided in two parts, perfectly counterbalanced, easy to handle
- Wash tank without corners to avoid dirt accumulation in angles
- Stamped wash dispersers in stainless steel tubes
- Easy to remove wash and rinse dispersers
- Safety micro switch at the door and electronic safety device to guarantee washing temperature and time

**Available with steam condenser unit upon request*

***Smaller and larger Pot & Utensil Washers available upon request*



SPECIFICATIONS	UX-150SBC DD	UX-150SBCV DD	UX-750BC DD
Cycles	60 / 90 / 100 / 150 / 210		120 / 180 / 240 / 360 / 480
Water Consumption/Cycle	3L	3L	6L
Maximun Load Height	430mm	430mm	650mm
Loading: Pump Power	2Hp / 1500W	1.3Hp / 1000W	3.2Hp / 2400W
Total Loading	10500W	10500W	11400W
Basket Spec. - w x d (mm)	600 x 500	600 x 500	780 x 700
External Spec. - w x d x h (mm)	810 x 835 x 1572	810 x 835 x 2080	922 x 932/1400 x 2015/2300
Net Weight	140kg	160kg	216kg

Ware Washing | Baskets

TO SUIT UX-40SB DD

► 2305468 - Open Basket - 400 x 400 x 110mm	\$89
► 2307028 - Plate Basket - 400 x 400 x 110mm	\$89
► 2307219 - Extra Height Glass Basket - 400 x 400 x 150mm	\$120
► 2302615 - Small Cutlery Basket - 115 x 75 x 100mm	\$19.50
► 2305488 - Multipurpose Rack	\$38
► 5300135 - Single Cutlery Basket	\$25
► 5300240 - Tilted Glass Basket 400 x 400	\$199

Small
Cutlery
Basket



Single
Cutlery
Basket



TO SUIT UX-50SBC DD & UX-120SBCV DD

► 5300105 - Open Basket - 500 x 500 x 100mm	\$58
► 5300112 - Plate Basket - 500 x 500 x 100mm	\$58
► 5300130 - Cutlery Basket - 500 x 500 x 100mm	\$70
► 2305488 - Multipurpose Rack	\$38
► 5300250 - Tilted Glass Basket	\$260
► 5300125 - Multiple Compartment Cutlery Basket	\$40
► 5300225 - 1/1 GN Lid Rack - 500 x 500mm	\$325
► 5300227 - 1/1 GN Tray Rack - 500 x 500mm	\$395

Multiple Compartment
Cutlery Basket



Tilted Glass Basket



1/1 GN Tray Rack



Open Basket



Plate Basket



Tray Basket



SS Basket



SS Tray Carrier

Ware Washing | Cutlery Polishers

These fully automatic units dry, polish and eliminate spotting on cutlery after washing. With an hourly output of up to 8000 pieces the economic operation saves on personnel costs and provides a quick return on investment.

- Rounded cutlery carousel, avoiding cutlery jams
- Hygienic: UV-ray germicide lamp sterilizes cutlery and machine
- SAS-6001: equipped with motor brake; shortening stopping time, reducing vibration and improving durability
- Organic polishing compound with up to 200hrs of operation



► SAM-3001

2379014 - 3kg Polishing Compound

\$11,960

\$99

► SAS-6001

2370011 - 5kg Polishing Compound

\$19,785

\$135

SPECIFICATIONS	SAM-3001	SPECIFICATIONS	SAM-6001
Output PCS / Hour	up to 3000	Output PCS / Hour	up to 8000
Centrifugal Force	85kg	Centrifugal Force (kg)	552kg
Total Loading	683W (10A)	Total Loading	1258W (10A)
Electrical Supply	230V/50Hz/1~	Electrical Supply	230V/50Hz/1~
Dimensions - w x d x h (mm)	489 x 652 x 412	Dimensions - w x d x h (mm)	630 x 693/800 x 783
Net Weight	43kg	Net Weight	130kg

Ware Washing | Glass Polisher

► GP-8

\$6,760

- Supplied with 8 brushes : 6 x full and 2 x tapered specifically for flutes
- Reduces time and labour costs
- Easy removal of brushes for cleaning with water and a non-foam detergent
- Dries and polishes glasses thoroughly straight from glass washer



SPECIFICATIONS	GP-8
Loading	1775W
Dimensions - w x d x h (mm)	460 x 380 x 660
Net Weight	24kg

Ware Washing | Fiamma Knife Steriliser

► **AEF 15.30** Single Cabinet Steriliser **\$1,200**

- New non-magnetised racking system to ensure 360° sterilisation
- Sterilisation by U.V. Lamp
- Timer : 0-120mins



Optional Accessories:

► **7.0.180.0532** Card Holder Kit **\$350**

- 2 racks with 28 card capacity each (56 in total)
- Perfect for hotel key cards, playing cards, coat check, etc



► **7.0.180.0534** Hook Kit **\$380**

- 2 racks with 28 hook capacity each (56 in total)
- Perfect for rental car keys, shared master keys, tags, etc



► **7.0.180.0530** Multifunctional Shelf Kit **\$132**

- 2 multifunctional perforated shelves
- W: 420mm, D: 95mm



SPECIFICATIONS	AEF 15.30
Dimensions - w x d x h (mm)	505 x 155 x 613
Power	15W (10A)
Power Supply	230V/50Hz/1~
Capacity	25-30 Knives
Net Weight	8kg

FOOD PREPARATION



Food Preparation | Potato Peelers

► PP-6+	230V/50Hz/1 no stand	\$5,225
► PP-12+	230V/50Hz/1 no stand	\$6,325
<i>Optional:</i>		
1000397	- Filter no-foam feature	\$1,085
1000399	- Stainless steel floor stand	\$910

- Manufactured in cast aluminium alloy
- Base plate and chamber walls lined with abrasive

► M-5	230V/50Hz/1 no stand	\$5,215
<i>Optional:</i>		
2009223	- Filter no-foam feature	\$1,210
2009224	- Stainless steel floor stand	\$960

- Stainless steel body
- Base plate lined with abrasive
- Can be placed near kitchen sink for drainage
- Easy to install and ideal for small spaces

► PI-10	230V/50Hz/1 no stand	\$7,645
► PI-20	230V/50Hz/1 no stand	\$9,100
► PI-30	230V/50Hz/1 no stand	\$13,175

Optional:

2009223	- Filter no-foam feature (PI-10/20)	\$1,210
2009224	- Stainless steel floor stand (PI-10/20)	\$960
2009270	- Stainless steel floor stand + filter (PI-30)	\$2,100

- Construction in stainless steel
- Side stirrers covered with silicon carbide abrasive
- Aluminium base plate lined with silicon carbide abrasive, easily removable for cleaning
- Auto-drag of waste to the drain
- Lифtable transparent polycarbonate cover, complete with locking and safety device
- Aluminium door with hermetic seal and safety device
- Water resistant control board (IP65)
- Water inlet system with non-return air break
- PI-30: water inlet system fitted with electric valve
- Auxiliary contact for external electric valve
- Timer 0-6min and continuous operation



PP-12+



M-5



PI-30



RANGE	PP-6+/PP-12+	M-5	PI-10	PI-20	PI-30
Capacity per load (kg)	5-6/10-12kg	5kg	10kg	20kg	30kg
Output	120-150/220-270kg/h	80-100kg/h	200-240kg/h	400-480kg/h	600-720kg/h
Timer	0-6 mins	0-6 mins	0-6 mins	0-6 mins	0-6 mins
Loading	Single Phase	300W	550W	550W	730W
Dimensions - no stand	395 x 700 x 433/	333 x 367 x 490	435 x 635 x 668	435 x 635 x 786	622 x 760 x 1002
w x d x h (mm)	395 x 700 x 503				
Dimensions - with stand	411 x 700 x 945/	425 x 555 x 965	435 x 638 x 1040	435 x 638 x 1155	546 x 760 x 1255
w x d x h (mm)	411 x 700 x 1015				
Net Weight	32/33kg	16kg	36kg	39kg	60kg

Food Preparation | Automatic Chipper

► **EC-20** With choice of 1 x Knife Set (below) 230V/50Hz/1 **\$10,975**

Optional:

9ECM01 - 10 x 10mm Knife Assembly	\$1,075
9ECM02 - 12 x 12mm Knife Assembly	\$1,075
9ECM03 - 14 x 14mm Knife Assembly	\$1,075
9ECM04 - 16 x 16mm Knife Assembly	\$1,075



- For use with peeled potatoes
- V-belt drive pulley for reliability and strength
- Hopper, knife assembly & rotary feed all removable for easy cleaning
- Safety interlocked hopper & knife assembly preventing start up if not properly assembled
- Water resistant emergency stop button & thermal overload protection on the motor
- Non-slip feet preventing unwanted movement

Food Preparation | Commercial Salad Dryers

► **ES-100** 6kg Salad Dryer 230V/50Hz/1 **\$7,245**

► **ES-200** 12kg Salad Dryer 230V/50Hz/1 **\$9,785**

Optional:

2009625 - Stainless Steel basket - ES 100	\$925
2009620 - Stainless Steel basket - ES 200	\$1,020



ES-100



ES-200



Guaranteed top performance without damaging product



Equipped with wheels and brake as standard



Electronic, user friendly high performance control panel

SPECIFICATIONS	EC-20	ES-100	ES-200
Capacity per load	Continuous	6kg volume (leaf)	12kg volume (leaf)
Output	>1500kg/h	120-360kg/h	240-720kg/h
Timer	-	1-2-3 mins	1-2-3 mins
Loading	Single Phase	550W	550W
Dimensions - no stand wxdxh	665 x 390 x 691	540 x 750 x 665	540 x 750 x 815
Net Weight	48kg	48kg	52kg

Salad Dryers

► **90012** 9.5L Commercial Salad Spinner **\$410**
 ► **Master Ctn Qty 1**

- Patented braking system that protects and increases the life of the gears
- Highly durable construction with no assembly required
- Fits 2-3 heads of lettuce.
- Easy-to-grip handles on each side

Heavy duty FDA approved plastic - durable & safe, patented braking system, fully enclosed gear box, 9.5L capacity accommodates approximately 2-3 heads of lettuce, convenient side handles for safe & easy transport, can spin both clockwise and counter clockwise



► **90005** 19L Commercial Salad Spinner **\$490**
 ► **Master Ctn Qty 1**

- Patented braking system that protects and increases the life of the gears
- Sealed gear box providing a sanitary environment
- Crank shaft manufactured in commercial grade aluminium
- Dimensions: 439 x 439 x 61mm (approx)
- Capacity: 19 Litres
- Net Weight: 1.9kg

Large 19 Litre capacity accommodates approximately 5-6 heads of lettuce. No assembly required - ready to use out of the box. Can spin both clockwise and counter clockwise.



Basting Mop

► **02103Y** Basting Mop
 ► **Master Ctn Qty 12** **\$17**

- Hardwood handle - 31cm
- Cotton Mop head easily washable



High Heat Basting Brush

► **90248** 5cm High Heat Basting Brush **\$23**
 ► **90249** 7.5cm High Heat Basting Brush **\$26**
 ► **Master Ctn Qty 12**

- Raised bump props brush to keep handle & surface clean
- Beaded silicon will not deform
- Distributes evenly
- Dishwasher safe



Food Preparation | Chefmaster

Professional Seasoning/Marinade Injector

► **40100CM** Professional Seasoning/Marinade Injector **\$32.50**
► **Master Ctn Qty 6**

- Capacity: > 30ml
- Needle Length: 9cm



Professional Meat Tenderizer

► **90009** Professional Meat Tenderizer **\$60**
► **Master Ctn Qty 6**

- Make the toughest cut of meat into a juicy, flavorful masterpiece
- 48 stainless steel razor sharp blades penetrate any cut of meat with ease
- Tenderizing meat, poultry or fish
- Use prior to marinating which will allow spices and flavors to be absorbed quickly and deeply
- No assembly required



High Heat Spatula

► **90212** 25cm High Heat Spatula **\$22**
► **90213** 34cm High Heat Spatula **\$29**
► **90214** 42cm High Heat Spatula **\$34**
► **Master Ctn Qty 12**

- Raised bump props brush to keep handle & surface clean
- Heat resistant up to 274°C
- Will not deform
- Stain resistant



High Heat Spoon

► **90227** 25cm High Heat Spoon **\$22**
► **90228** 34cm High Heat Spoon **\$29**
► **90229** 42cm High Heat Spoon **\$34**
► **Master Ctn Qty 12**

- Raised bump props brush to keep handle & surface clean
- Heat resistant up to 274°C
- Will not deform
- Stain resistant



High Heat Piano Whisk

- ▶ **90303** 30cm High Heat Piano Whisk \$30
- ▶ **90304** 35cm High Heat Piano Whisk \$32.50
- ▶ **90305** 40cm High Heat Piano Whisk \$35
- ▶ **Master Ctn Qty 6**

- Fine piano-style wires make food light and airy
- Commercial grade stainless steel
- Textured nylon handle withstands temperatures up to 245°C
- Sealed sanitary handle with grips to prevent slippage
- Center reinforced wire eliminates deformation
- Wires embedded deep in the handle so they don't pop out

new



3 Stage Memory Timer

- ▶ **90271** 3 Stage Memory Timer \$40
- ▶ **Master Ctn Qty 12**

- 3 simultaneous timer settings
- Pocket clip, stand and magnet
- Uses 2 x AAA batteries (not included)



High Speed Can Opener

- ▶ **90056** High Speed Can Opener \$52
- ▶ **Master Ctn Qty 6**

- Opens #10 cans quickly and easily
- Oversized, easy to grip knob
- Durable metal construction
- Soft and comfortable anti-slip, finger grip handles
- Easy to clean



Silicone Baking Mat

- ▶ **90310** Half Size Silicone Baking Mat - 30 x 40cm \$30
- ▶ **90311** Full Size Silicone Baking Mat - 40 x 60cm \$48
- ▶ **Master Ctn Qty 12**

- Provide consistent & even heat distribution
- Double sided and reusable
- Woven fibreglass mesh coated with food-grade silicone
- Roll up for compact storage
- Oven and dishwasher safe

new



High Heat Scrapers & Turners

<ul style="list-style-type: none"> Commercial grade stainless steel scraper/turner blades Textured nylon handle withstands temperatures up to 260°C 		
<p>► 90263 High Heat Dough Cutter / Griddle Scraper</p> <p>► Master Ctn Qty 6</p>	\$32	 new
<p>► 90261 10cm High Heat Scraper</p> <p>► Master Ctn Qty 6</p>	\$30	 new
<p>► 90262 12.5cm High Heat Scraper</p> <p>► Master Ctn Qty 6</p>	\$32	 new
<p>► 90280 High Heat Turner - 20 x 10cm blade</p> <p>► Master Ctn Qty 6</p>	\$40	
<p>► 90281 Square Edge Turner - 16 x 7cm blade</p> <p>► Master Ctn Qty 6</p>	\$36	
<p>► 90283 Hamburger Turner - 12 x 7cm blade</p> <p>► Master Ctn Qty 6</p>	\$46	
<p>► 90284 Flexible Turner - 19 x 7cm blade</p> <p>► Master Ctn Qty 6</p>	\$36	
<p>► 90285 Perforated Flexible Turner - 19 x 7cm blade</p> <p>► Master Ctn Qty 6</p>	\$38	
<p>► 90286 Extra Heavy Turner - 15 x 13cm blade</p> <p>► Master Ctn Qty 6</p>	\$42	
<p>► 90287 Fish Turner - 17 x 8cm blade</p> <p>► Master Ctn Qty 6</p>	\$28	

Premium Griddle Scraper

► 90002	Premium Griddle Scraper	\$125
► Master Ctn Qty 4		
► 90003HD	Griddle Scraper Replacement Blade	\$12

- Ergonomically designed to maximize productivity and minimize operator fatigue
- Heavy duty die cast aluminum construction provides a sturdy & long lasting frame
- Safety splash guard protects against grease splatter
- Long (33cm) frame with top handle keeps hands and fingers away from hot griddle surface
- 14cm sharpened stainless steel blade cleans griddle evenly and consistently
- Replacement blades, wing nuts and bolts of rust resistant 304 grade stainless steel



Griddle Shelf

► 90260A	Griddle Shelf	\$175
► Master Ctn Qty 4		

- Includes two hooks for hanging tools
- Easy to attach - No tools required
- Folds flat for easy storage
- Durable Rust-resistant stainless steel
- Fits most Griddles
- Assembled Dimensions: 220 x 337 x 371mm



Gastro Pan Insert

► 90316	Accessory for 90260A Griddle Shelf	\$45
► Master Ctn Qty 6		

- Securely holds 1/3, 1/6 & 1/9 gastro pans
- Easy to attach



High Heat Burger Smasher

► 90279	High Heat Burger Smasher	\$48
► Master Ctn Qty 4		

- Press burger for seared, crispy edges to add flavour
- Stainless steel construction with stay cool handle
- Easy to clean



Food Preparation | Chefmaster

Butter Roller

► 90021	Butter Roller	\$120
► Master Ctn Qty 4		

- Spreads butter quickly and evenly
- Prevents messy spills & flare ups around the grill /griddle
- Easy to clean
- Sturdy stainless steel construction



Panini Brush

► 90052	Panini Brush	\$21.50
► Master Ctn Qty 12		

- Stainless steel bristles and scrapers
- Features three scrapers designed to clean between the ribs and flat surfaces
- Brush works with most commercial panini grills



Grill Brush

► 90051	Grill Brush	\$66
► Master Ctn Qty 6		

- Brush head width 16cm / Handle length 45cm
- Commercial grade stainless steel bristles and scraper
- Dual handle provides leverage to remove tough residue easily



Classic Broiler Brush

► 90042	Classic Broiler Brush	\$99
► Master Ctn Qty 6		

- 76cm Handle / 20.5cm Head
- Stainless steel bristles and scraper blade
- Double crimped collar



Classic Pizza Oven Brush

► 90041	Pizza Oven Brush	\$90
► Master Ctn Qty 6		
► 90046	Replacement Brush Head	\$75
•	102cm Handle	
•	25.5cm Head with brass bristles	
•	Stainless steel scraper blade & double crimped collar	



Cleaning Brushes

► **90058** Cast Iron Scrub Brush **\$18.50**

► **Master Ctn Qty 6**

- Cleans your cookware without damaging the surface
- Thick nylon bristles with scraper removes residue easily
- Comfort grip handle



► **90049** High Heat Pot & Fryer Brush **\$32**

► **Master Ctn Qty 6**


- 51cm
- Withstands temperatures up to 218°C



► **90053** High Heat Fryer Brush - L Shaped **\$30**

► **Master Ctn Qty 12**

- 67cm
- Features 'L' shape to clean hard to reach areas
- Withstands high heat - cleans hot or cold fryers
- Brass bristles



► **90054** High Heat Fryer Brush **\$30**

► **Master Ctn Qty 12**

- 67cm
- Withstands high heat - cleans hot or cold fryers
- Brass bristles



► **90055** Fryer Clean Out Rod **\$42**

► **Master Ctn Qty 6**

- Cleans debris and breaks up hardened oil from the drain line
- Durable comfort handle & commercial stainless steel construction
- 76cm rod works with various fryers



► **90222** Fryer Crumber **\$62**

► **Master Ctn Qty 6**

- Scoop designed to easily fit between the tubes in your fryer tank
- Clears debris and sediment that sink into the cold zone
- Durable stainless steel
- Comfort handle
- Compatible with most commercial fryers



Beer Tap Plugs

- ▶ **90216** Beer Tap Plugs
- ▶ **Master Ctn Qty 6 pkts of 6**
- ▶ **90219** Beer Tap Plugs (50)
- ▶ **Master Ctn Qty 2 pkts of 50**

- Fits a variety of taps keeping them clean and sanitary
- Prevents fruit flies and dust contamination
- Removes yeast and build up for better tasting beer



\$37

\$145

Pour Spout Covers

- ▶ **90256** Pour Spout Covers - Small (36)
- ▶ **Master Ctn Qty 12 pkts of 36**
- ▶ **90258** Pour Spout Covers - Large (36)
- ▶ **Master Ctn Qty 12 pkts of 36**

\$11

\$14



- Tight seal prevents dirt & contaminants from entering the bottle
- Acts as a barrier to dust
- Fits most pour spouts

Citrus Wedger

- ▶ **90023** Citrus Wedger
- ▶ **Master Ctn Qty 4**
- ▶ **90025** Wedger Replacement Blade

\$145

\$43



- Makes perfectly wedged lemons ideal for drinks and garnishes
- Produces 8 or 16 wedges at a time
- Safer to use - eliminates knife accidents
- Saves time with one easy motion
- Non-skid rubber feet keeps wedger in place
- Easily replaceable blade



Cutter-Mixers &
Emulsifiers

K/KE



Combi
Veg prep machine + Cutter
CK

Veg prep
machine
CA



Veg Prep
CA-21



Cutter / Emulsifier
KE-V4



K-41



Combination Machines
CK-24V



CK-241



ACTIVE

ULTRA




Option to add the other function to your machine

Thanks to sensors in the motor block, compact machines offer the option of adding the missing function to the machine. In particular, CA veg prep machines make it possible to add the food processor function to your machine by adding the bowl with blades, and K/KE cutters can add the veg prep function by adding the corresponding head.



Ejection slide

The ejection slide allows the cut product to be ejected by gravity, avoiding impacts. This feature is particularly useful for cutting slices and reconstructing the product for subsequent preservation or presentation. In addition to this, the veg prep machine is equipped with an ejector disc for use with products that require this function.



Directional design

The design of the veg prep machine allows the product output to be positioned to the right or to the left depending on the user's needs at any given moment.



Multiple functions in seconds

Use the cutter function to cut, grind, mix, knead or emulsify any product, in seconds.



Built-in customisable programs, specific functions.

In addition to the two built-in programmes on the machine, the KE-4V cutter allows the user to create up to 9 custom programs. In this way, by combining different speeds and different times, the user can standardize their own recipes to always obtain the same result automatically and without being aware of the machine.



Designed to make the most of your workspace

An opening in the motorblock allows, in addition to protecting the plug, to make the most of the user's workspace. Therefore, thanks to the machine design, the plug does not require more space and the machine can work even positioned up against a wall.



Food Preparation | Compact Vege Preparation

- ▶ **CA-21** Compact Vege Prep Machine - Single Speed
- ▶ **CA-21 *with 3 blade set**

\$2,395
\$2,725

ACTIVE

- Gravity product expulsion ramp & ejection disc included
- High power asynchronous motor
- Lateral product output and adjustable ejection direction (left & right) to minimize space requirements and adapt to existing workflow in the prep area
- 3-point safety mechanism- head-cover-switch
- Complete error warning system
- Can be converted to a combination machine if/when the need arises



- ▶ **CA-2V** Compact Vege Prep Machine - Variable Speed
- ▶ **CA-2V *with 3 blade set**

\$3,895
\$4,230

ULTRA

- Equipped with brushless technology: powerful efficient and quiet
- Exclusive 'Force Control System': guarantee of a uniform and quality result
- Gravity product expulsion ramp & ejection disc included
- Lateral product output and adjustable ejection direction (left & right) to minimize space requirements and adapt to existing workflow in the prep area
- 3-point safety mechanism- head-cover-switch
- Complete error warning system
- Can be converted to a combination machine if/when the need arise



Optional Extras for CA-21 & CA-2V:

2059762 - 4.4L Cutter Bowl complete with lid	\$655
2059748 - Hub with Toothed Blades	\$410
2059750 - Hub with Flat Blades	\$410
2059752 - Hub with Perforated Blades	\$410

*Machine provided with 3 blades of customer's choice

SPECIFICATIONS	CA-21	CA-2V
Output	50-350Kg/Hr	50-350Kg/Hr
Inlet Opening Dimensions	89cm ²	89cm ²
Motor Speed	1500 RPM	300-1000 RPM
Loading	800W	1100W
Dimensions	378 x 309 x 533mm	378 x 309 x 533mm
Net Weight	15.5kg	13kg

Food Preparation | Compact Vege Preparation

- **CK-241** Compact Combination Machine - Single Speed
- **CK-241 *with 3 blade set**

\$3,245
\$3,575

ACTIVE

- High power asynchronous motor
- Lateral product output and adjustable ejection direction (left & right) to minimize space requirements and adapt to existing workflow in the prep area
- 4.4L bowl and toothed blade included
- Complete error warning system
- Transparent polycarbonate lid with gasket and hole to add ingredients while in use
- Homogenous & fine mixing result thanks to the lateral stirrers and invert-blade technology
- Can be programmed to time and has a pulse function when set up as a cutter/mixer



- **CK-24V** Compact Vege Prep Machine - Variable Speed
- **CK-24V *with 3 blade set**

\$4,895
\$5,225

ULTRA

- Equipped with brushless technology: powerful efficient and quiet, Exclusive 'Force Control System': guarantee of a uniform and quality result
- Variable speed to enable processing of most products at optimal rate
- Lateral product output and adjustable ejection direction (left & right) to minimize space requirements and adapt to existing workflow in the prep area
- 4.4L bowl and toothed blade included
- Complete error warning system
- Transparent polycarbonate lid with gasket and hole to add ingredients while in use
- Homogenous & fine mixing result thanks to the lateral stirrers & invert-blade technology
- When set up as a mixer: Install up to 9 programs to time and speed
- Complete error warning system



*Machine provided with 3 blades of customer's choice

SPECIFICATIONS	CK-241	CK-24V
Vege Prep Output	50-350Kg/Hr	50-350Kg/Hr
Inlet Opening Dimensions	89cm ²	89cm ²
Bowl Capacity	4.4L	4.4L
Motor Speed	1500 RPM	VEGE 300-1000 RPM BOWL 300-3000 RPM
Loading	800W	1100W
Vege Prep Dimensions	378 x 309 x 533mm	378 x 309 x 533mm
Bowl Cutter Dimensions	252 x 309 x 434mm	252 x 309 x 434mm
Net Weight	15.5kg	13kg

Food Preparation | Compact Vege Prep Blades

► Blades to suit CA-21, CA-2V, CK-241 & CK-24V

► Straight Slicing Blades

1010530 - FCS-1 - 1mm slicing blade	\$170
1010532 - FCS-2 – 2mm slicing blade	\$170
1010534 - FCS-3 – 3mm slicing blade	\$170
1010536 - FCS-4 – 4mm slicing blade	\$170
1010538 - FCS-5 – 5mm slicing blade	\$170
1010540 - FCS-6 – 6mm slicing blade	\$170
1010570 - FCS-8G – 8mm slicing blade	\$180
1010572 - FCS-10G – 10mm slicing blade	\$180
1010574 - FCS-12G – 12mm slicing blade	\$180



► Rippled Slicing Blade


1010546 - FCOS-2 – 2mm rippled slicing blade	\$170
---	-------



► Dicing Grids

Note: To be paired with slicing blades 8G, 10G or 12G

1010580 - FMS-8 – 8x8mm dicing grid	\$245
1010582 - FMS-10 – 10x10mm dicing grid	\$245
1010584 - FMS-12 – 12x12mm dicing grid	\$245



► Chipping Grids

Note: To be paired with slicing blades 8G, 10G or 12G

1010590 - FFS-8 – 8mm chipping grid	\$245
1010592 - FFS-10 – 10mm chipping grid	\$245

► Grid Cleaner

1010367 - QC-U - Universal grid cleaner
--

Designed to efficiently clean all dicing grids in the Sammic range

\$99



QC-U



Food Preparation | Compact Vege Prep Blades

► Blades to suit CA-21, CA-2V, CK-241 & CK-24V

► Julienne Blades

1010550 - FCES-2x2 - 2mm julienne blade	\$220
1010552 - FCES-2x4 - 2x4mm julienne blade	\$220
1010554 - FCES-2x6 - 2x6mm julienne blade	\$220
1010556 - FCES-4x4G - 4mm julienne blade	\$220
1010558 - FCES-6x6 - 6mm julienne blade	\$220
1010560 - FCES-8x8 - 8mm julienne blade	\$220



► Shredding Blades

1010500 - SHS-2 - 2mm shredding blade	\$160
1010502 - SHS-3 - 3mm shredding blade	\$160
1010504 - SHS-4 - 4mm shredding blade	\$160
1010506 - SHS-7 - 7mm shredding blade	\$160



► Grating Blades

1010514 - SHSF - fine grating blade	\$160
1010516 - SHSG - coarse grating blade	\$160

► Blade Holder

1010204 - Blade & Grid Holding Rack	\$90
• Suits all blades & Grids in the Sammic Range	
• Can hold up to ten individual blades/grids	



Food Preparation | Compact Cutter-Mixers

► K-41 Compact 4.4L - Single Speed \$3,135

- Comes with universal 'toothed blade' hub as standard that can be swapped out for either flat or perforated hubs upon request
- Lateral stirrer and high shaft to obtain a bigger production and produce a homogenous and fine mixing result
- Safety microswitches on both the bowl and lid
- Complete error warning system
- Basic and easy to use control panel
- Possibility of extending the functionality by adding the vegetable slicer attachment
- The bowl is made of Tritan™ (which is food grade recyclable co-polyester free of BPA and any other bisphenol) making it highly resistant and dishwasher safe



ACTIVE

► KE-4V Compact Ultra 4.4L - Variable Speed \$4,125

- Comes with toothed blade hub as standard that can be swapped out for either flat or perforated hubs upon request
- Fitted with a brushless motor making the unit powerful and highly efficient
- As brushless motors do not require ventilation the originally ventilated sides are now replaced with solid panels- improving watertightness and durability of the machine
- Significantly reduced noise level compared to conventional motors - from 72 to 63dBa,
- Advanced and intuitive control panel
- Timer function and ability to store up to 9 time and speed based programs to facilitate multi-tasking
- Possibility of extending the functionality by adding the vegetable slicer attachment



ULTRA

Optional Extras for the K-41 & KE-4V:

2059760	- Compact Vege Prep Attachment	\$995
2059748	- Hub with Toothed Blades (additional)	\$410
2059750	- Hub with Flat Blades	\$410
2059752	- Hub with Perforated Blades	\$410

SPECIFICATIONS	K-41	KE-4V
Bowl Capacity	4.4L	4.4L
Max Product Capacity	2.5kg	2.5kg
Max Liquid Capacity	2.4L	2.4L
Bowl Dimensions	Ø-193mm x H-161mm	Ø-193mm x H-161mm
Speed	1500 RPM	300-3000 RPM
Loading	800W	1100W
Dimensions	252 x 309 x 434mm	252 x 309 x 434mm
Net Weight	14.5kg	12kg

Food Preparation | Cutter-Mixers

CHOP - MASH - MIX - KNEAD - POWDERIZE - EMULSIFY



- Comes with toothed blade hub as standard that can be swapped out for either flat or perforated hubs upon request
- Fitted with a brushless motor making the unit powerful and highly efficient
- Significantly reduced noise level compared to conventional motors - from 72 to 63dbA
- Lateral stirrer and high shaft to obtain a bigger production and produce a homogenous and fine mixing result. 'Cut-Mix' scraper set included.
- Safety microswitches on both the bowl and lid
- Advanced and intuitive control panel with a complete error warning system
- Timer function and ability to store up to 9 time and speed based programs to facilitate multi-tasking



► KE-5V	5.5L Cutter-Mixer - Variable Speed, Brushless	\$5,650
► KE-8V	8L Cutter-Mixer - Variable Speed, Brushless	\$6,380

Optional Extras:

2053058 - Hub with Flat Blades - KE-5V	\$470
2053935 - Hub with Flat Blades - KE-8V	\$695
2053063 - Hub with Perforated Blades - KE-5V	\$470
2053940 - Hub with Perforated Blades - KE-8V	\$695
2053091 - Hub with Toothed Blades - KE-5V (additional)	\$470
2053930 - Hub with Toothed Blades - KE-8V (additional)	\$695

SPECIFICATIONS	KE-5V	KE-8V
Bowl Capacity	5.5L	8L
Bowl Dimensions	Ø-240mm x H-150mm	Ø-240mm x H-199mm
Speed	300-3000 RPM	300-3000 RPM
Loading	1500W	1500W
Dimensions	286 x 387 x 487mm	286 x 387 x 517mm
Net Weight	18kg	19kg



PROFESSIONAL PERFORMANCE & VERSATILITY

- Equipped with brushless motor technology ensuring maximum efficiency
- Both vege prep and bowl cutter attachments included
- Ability to be programmed by time and speed to allow multitasking
- Pulse button as cutter-mixer for greater control
- Combination of security systems: head-covers-bowl-power switch
- Advanced control panel that is very intuitive to use and offers all the information at a glance



CK-35V



CK-38V



CK-45V



CK-48V

• **ULTRA**

► CK-35V	Ultra Range Combination Vege Prep Machine - 5.5L Bowl	\$7,150
► CK-35V* 3 Blade Set		\$7,630
► CK-38V	Ultra Range Combination Vege Prep Machine - 8L Bowl	\$7,695
► CK-38V* 3 Blade Set		\$8,170
► CK-45V	Ultra Range Combination Vege Prep Machine - 5.5L Bowl	\$8,520
► CK-45V* 3 Blade Set		\$8,990
► CK-48V	Ultra Range Combination Vege Prep Machine - 8L Bowl	\$9,330
► CK-48V* 3 Blade Set		\$9,800

*Machine provided with 3 blades of customer's choice

SPECIFICATIONS	CK-35V	CK-38V	CK-45V	CK-48V
Vege Prep Output	100-450Kg/Hr	100-450Kg/Hr	200-650Kg/Hr	200-650Kg/Hr
Inlet Opening Dimensions	136cm ²	136cm ²	286cm ²	286cm ²
Bowl Capacity	5.5L	8L	5.5L	8L
Motor Speed	Vege: 300-1000rpm Bowl: 300-3000rpm	Vege: 300-1000rpm Bowl: 300-3000rpm	Vege: 300-1000rpm Bowl: 300-3000rpm	Vege: 300-1000rpm Bowl: 300-3000rpm
Loading	1500W	1500W	1500W	1500W
Vege Prep Dimensions	391 x 409 x 552mm	391 x 409 x 552mm	391 x 409 x 652mm	391 x 409 x 652mm
Bowl Cutter Dimensions	286 x 387 x 487mm	391 x 409 x 517mm	286 x 387 x 487mm	286 x 387 x 517mm
Net Weight	24kg	24kg	27kg	27kg

► UNIVERSAL HOPPER

- Ergonomic design with a 136cm² kidney shaped inlet



► LARGE PRODUCTION ATTACHMENT

\$2,145

- Ergonomic design with a 273cm² inlet
- Large capacity attachment to cut and distribute entire products like cabbage



► AUTOMATIC HOPPER

\$3,050

- Ideal for high production, continuous feeding of products no larger than 75mm Ø



► LONG VEGETABLE ATTACHMENT

\$2,145

- Ideal to get the best cutting quality out of long-shaped products
- Dimensions: Tube 1 - Ø 50mm, Tube 2 - Ø 70mm



► VEGE PREP STAND/TROLLEY

\$880

- Allows the work to be carried out at the appropriate height
- Adapts to Gastronorm measures for collecting the product and makes it easy to move the machine
- Dimensions: (wxhxd) 686.5 x 400 x 666.5mm



✓ = included ○ = optional

RANGE	CA-31	CA-41	CA-62	CK-35	CK-38	CK-45	CK-48
Universal Hopper	✓			✓	✓		
Large Prod Attachment p/n: 1050122		✓	○			✓	✓
Auto Hopper p/n:1050120	○	✓					
Auto Hopper p/n:1050121						○	○
Long Vege Attachment p/n: 1050123	○	○	○				
Long Vege Attachment p/n: 1050124				○	○	○	○
Vege Prep Stand/Trolley p/n: 1050063	○	○	○	○	○	○	○

Food Preparation | Vegetable Preparation Machines

The **CA-31** consists of a 1-speed motor block and universal attachment with the option of a tube attachment for long vegetables.

► **CA-31** \$2,995

► **CA-31 *with 3 Blade Set** \$3,465

- High precision adjustments to obtain a uniform & excellent quality cut
- Single speed motor block
- Kidney shaped opening with the option of a tube attachment for long vegetables
- High power asynchronous motor
- Made from stainless steel and food-grade materials of the highest quality: stainless steel motor block and food-grade aluminium head
- Optional stainless steel stand for convenience



► **CA-41** \$4,670

► **CA-41 *with 3 Blade Set** \$5,145

- High precision adjustments to obtain a uniform and excellent quality cut
- Single speed motor block
- Large production 'full moon' opening with the option of a tube attachment for long vegetables
- High power asynchronous motor
- Made from stainless steel and food-grade materials of the highest quality: stainless steel motor block and food-grade aluminium head
- Optional stainless steel stand for convenience



► **CA-62** \$9,100

► **CA-62 *with 3 Blade Set** \$9,575

- 2-speed motor block
- Semi-automatic hopper as standard with the option of a) large production head b) long vegetable tube attachment and/or c) stainless steel stand trolley
- Stainless steel construction and highest quality materials used- all suitable for contact with food
- Head equipped with high ejector: enables a higher quantity of product to be shifted



*Machine provided with 3 blades of customer's choice

SPECIFICATIONS	CA-31	CA-41	CA-62
Output	150-450Kg/Hr	200-650Kg/Hr	500-1000Kg/Hr
Inlet Opening Dimensions	136cm ²	286cm ²	273cm ² / 5 x 75m Ø
Motor Speed	365 RPM	365 RPM	2 Speed: 365 & 730 RPM
Loading	550W	550W	750W (400V/50Hz/3~)
Overall Dimensions (wxhxd) mm	389 x 405 x 544	391 x 396 x 652	430 x 420 x 810
Net Weight	21kg	24kg	29.5kg

Food Preparation | Vegetable Prep Accessories - Blades

► CA-31 / 41 / 62 & CK-35V/38V, 45V/48V - Blades

Slicing blades FC-1+ through to FC-25+ for slicing potatoes, carrot, beetroot, cabbage, etc.

1010215 - FC-1+ 1mm slicing blade	\$275
1010220 - FC-2+ 2mm slicing blade	\$275
1010224 - FC-3D 3mm slicing blade	\$275



1010227 - FC-6D 6mm slicing blade	\$275
1010409 - FC-8D 8mm slicing blade	\$275
1010410 - FC-10D 10mm slicing blade	\$275
1010411 - FC-14D 14mm slicing blade	\$300
1010252 - FC-20+ 20mm slicing blade	\$300
1010247 - FC-25+ 25mm slicing blade	\$300



FC-1+



FC-3D



FC-8+

Blades FCO-2+, FCO-3+ and FCO-6+ make rippling slices.

1010295 - FCO-2+ 2mm ripple slicing blade	\$275
1010300 - FCO-3+ 3mm ripple slicing blade	\$275
1010408 - FCO-6+ 6mm ripple slicing blade	\$275



FCO+



Chipping grids (FFC) combine with FC-6D, 8D, 10D slicing discs for french fries. Dicing grids (FMC) for use with FC-3D to -25+ slicing discs for dicing potatoes for omelettes, vegetables and fruits.

1010350 - FFC-8+ 8mm chipping grid	\$300
1010355 - FFC-10+ 10mm chipping grid	\$300
1010362 - FMC-8D 8mm dicing grid	\$300
1010363 - FMC-10D 10mm dicing grid	\$300
1010364 - FMC-14D 14mm dicing grid	\$300
1010375 - FMC-20+ 20mm dicing grid	\$300
1010380 - FMC-25+ 25mm dicing grid	\$300



► Quick Grid Clean

For an efficient, quick and safe grid cleaning option that is also dishwasher safe.

1010361 - QC-8 8mm Quick Grid Cleaner	\$265
1010366 - QC-10 10mm Quick Grid Cleaner	\$265
1010359 - GCH Quick Grid Cleaner Holder	\$175



► GridCleaner

1010367 - QC-U - Universal grid cleaner	\$99
<ul style="list-style-type: none"> • Designed to efficiently clean all dicing grids in the Sammic Range 	

Food Preparation | Vegetable Prep Accessories - Blades

► CA-31 / 41 / 62 & CK-35V/38V, 45V/48V - Blades

Curved slicing blades for slicing tomatoes, oranges, lemons, bananas, apples, etc. are specially designed for soft products.

1010406 - FCC-2+ 2mm	\$275
1010403 - FCC-3+ 3mm	\$275
1010404 - FCC-5+ 5mm	\$275



Julienne blades for french fries, strips or batons of potato, carrot, celery, beetroot, etc.

1010205 - FCE-2+ 2mm	\$340
1010210 - FCE-4+ 4mm	\$340
1010405 - FCE-8+ 8mm	\$340



Shredding blades for vegetables, cheese, bread, nuts, etc.

1010320 - SH-2 2mm	\$235
1010315 - SH-3 3mm	\$235
1010322 - SH-4 4mm	\$235
1010323 - SH-5 5mm	\$235
1010324 - SH-6 6mm	\$235
1010326 - SH-7 7mm	\$235



Grating blades for grating bread, hard cheese, chocolate, etc.

1010318 - SHF Fine grating disc	\$235
1010328 - SHG Coarse grating disc	\$235



► Potato Masher Kit FP+

1010390 - FP+ 8mm Potato Masher Kit	\$450
--	--------------

Ideal for getting potato puree using a vegetable preparation machine.



* Necessary to use with slicing blades.

► Blade Holder

1010204 - Blade & Grid Holding Rack	\$90
--	-------------

Suits all blades & Grids in the Sammic Range
Can hold up to ten individual blades/grids



Food Preparation | Hand Chipping Machine

► **CF-5** with choice of 1 x Knife Set (below) **\$965**

1020065 - Knife block & pusher set 8 x 8mm	\$230
1020070 - Knife block & pusher set 10 x 10mm	\$230
1020075 - Knife block & pusher set 12 x 12mm	\$230

- Available in 8, 10, 12mm Knife Sets
- Hourly output of up to 100/150 kg
- Extended handle provides optimal results with minimal effort
- Suction feet provide stability
- Dimensions: 280 x 512 x 735mm
- Net Weight: 3.9kg
- Maximum GN 1/1 150mm can be used

*Container for illustrative purposes only



Food Preparation | Mixers

► **BM-5E Planetary Mixer** 230V/50Hz/1~ **\$2,615**

- Bowl Capacity: 5L
- Capacity in Flour: 1Kg (60% water)
- Speed Variation: 85-485 RPM
- Loading: 300W
- Accessories Included: Dough hook, Beater, Balloon whisk
- Manual bowl safety guard with magnetic safety switching
- Lever operated bowl lift



Food Preparation | Mixers

► SANTOS #18 Fork Dough Mixer

\$3,000



- Bowl Capacity: 10L
- Output: >4Kg dough
- Motor Speed: 1500-1800 RPM
- Fork Speed: 70-84 RPM
- Loading: 600W
- Dimensions: 350 x 500 x 420mm
- Heavy duty, asynchronous motor
- Helical fork: powerful and efficient mixing
- Manual bowl rotation and brake to finely adjust kneading speed
- Transparent bowl cover
- On/off switch with safety overload protection



Food Preparation | Blenders

Santos #37 - Food Blender

► Santos #37-41 Stainless Steel 4L Food Blender
 ► Santos #37-21 Stainless Steel 2L Food Blender

\$3,650

\$3,355

- 2L or 4L stainless steel jug available
- Silent & durable coupling system for intensive and long life
- Waterproof removable seal on container cover
- Max Speed: 15000rpm on variable knob & 18000rpm on pulse
- Loading: 750W-1200W max
- Dimensions: 210 x 310 x 560mm



Food Preparation | FRIX AIR

► FRIX AIR 230V/50Hz/1~

\$6,450

The FRIX AIR allows the user to prepare an endless number of recipes starting from fresh ingredients. The possibilities are infinite. After processing the frozen ingredients, FRIX AIR returns a perfectly smooth and creamy texture, with no grains or crystals. Mousse, sauces, patés, purées, powders, spice mixes, soups, fillings, sorbets, ice cream, cocktails and much more can be produced using the FRIX AIR.

- Two working speed selections- standard - 2mins and fast - 1min
- Equipped with a rinsing cycle
- Takes little room in the kitchen
- Recipes can be prepared at any time and put in the freezer
- With an accurate planning of the use of the FRIX AIR less kitchen staff will be required and wastage will be drastically minimized
- The preparation is always ready and available, it is taken out from the freezer only on demand
- Bowls are microwave and dishwasher safe, reusable, stackable and are colour coded according to HACCP guidelines
- Streamlines processes within the kitchen, reducing both prep and cook time and potentially increasing menu offering
- Single serving bowls (180ml) allow upmost hygiene to be observed as each time the whole bowl is processed and used
- Every portion is identical to the next and all ingredients are perfectly mixed and homogenous
- Micro switched glass door ensures safety

ACCESSORIES INCLUDED

- 2 x SS blades
- 1 x plastic whipping blade
- 2 x blade gaskets
- 2 x bowl holders
- 5 x plastic bowls
- 1 x blade removing tool

OPTIONAL ACCESSORIES

• Set of 50 reusable containers	\$355
• Set of 572 disposable containers	\$730



SPECIFICATIONS	FRIX AIR
Bowl Capacity	180ml
Blade Speed	2000rpm
Rinsing Program	YES
Speed Selection	2 cycles - standard 2mins, fast 1min
Adjustable Feet	YES
Loading	230V/50Hz/1~
Dimensions - w x d x h (mm)	205 x 335 x 495
Net Weight	19kg

Food Preparation | EMULSIONIZER PRO 1.0

new

► 5410009 Emulsionizer Pro 1.0 \$495

- Includes canister, stainless steel filter & 5 perforated bases that are interchangeable depending on the desired gastronomic goal
- Operates in conjunction with the Sammic XM-12 Hand Blender
- The hand blender is activated inside the emulsion filter, where the ingredients are placed, to achieve the desired emulsion

Emulsionizer PRO 1.0

The combination of the Emulsionizer Pro 1.0 by Sammic with the XM-12 blender and each chef's creativity allows for the effortless creation of unique preparations, eliminating the need to pass anything through a sieve and enabling, for example:

- Extracting essences from roots, herbs, and grains.
- Preparing soups, vinaigrettes, and sauces.
- Achieving the finest purée for baby food, as well as foods with the desired texture for the health sector and for dysphagia.
- Thickening stews and enhancing flavour expansion.
- Transforming food scraps into high-quality culinary preparations.
- Obtaining freshly made plant-based milks.
- Preparing creative and high-quality culinary coffee creations.
- Preparing the best cocktails.
- Making ice cream bases.



Watch Video



FOODPREPARATION

Selection Guide



HAND BLENDERS	MODEL	CAPACITY	ARM LENGTH	LOADING
EXTRA SMALL	XM-12	>10L	188mm	240W
SMALL	XM-22	>15L	300mm	300W
MEDIUM	XM-31	>30L	306mm	400W
	XM-33	>60L	420mm	400W
LARGE	XM-51	>80L	420mm	570W
	XM-52	>120L	520mm	570W
EXTRA LARGE	XM-71	>200L	540mm	750W
	XM-72	>250L	630mm	750W

COMBINATION UNITS	MODEL	CAPACITY	ARM LENGTH	LOADING
SMALL	MB-22	>15L/2-30 egg whites	300mm	300W
MEDIUM	MB-31	>30L/2-50 egg whites	306mm	400W
LARGE	MB-51	>80L/2-80 egg whites	420mm	570W

WHISK BEATERS	MODEL	CAPACITY	ARM LENGTH	LOADING
SMALL	B-20	2-30 egg whites	306mm	300W
MEDIUM	B-30	2-50 egg whites	396mm	400W
LARGE	B-50	2-80 egg whites	405mm	570W

XM Range

ALL IN ONE

- Complete and versatile product range, designed to make different preparations with no need of add-on tools
- Commercial Y-blade, made of tempered steel and equipped with a long lasting cutting edge
- Fixed or variable speed
- Designed to work with maximum comfort in recipients of 10 to 250 lt. of capacity



MAXIMUM COMFORT FOR THE USER

- Compact design: logical and manageable size in each series.
- Ergo-design & bi-mat-grip: The external casing, in two materials, allows an ergonomic hold with an anti-slip grip and the handle features optimum inclination to minimise fatigue
- Click-on-arm: detachable arms with quick and safe locking
- Hoods designed to avoid splashes during work
- Intuitive use: very simple operation. Includes warning light when the machine is connected to the mains and, from 30 series on, two-colour LEDs to indicate the status of the appliance
- Possibility of continuous operation from 30 series on



MAXIMUM COMFORT FOR THE USER

- Professional performance: they are capable of carrying out prolonged work without overheating
- Life-plus: equipped with a motor which has passed all of the most demanding usage tests
- Studied geometry: casings designed to avoid rolling and falling



Food Preparation | Commercial Hand Blenders & Beaters

HAND BLENDERS

► XM-12	>10L	\$685
► XM-22	>15L	\$950
► XM-31	>30L	\$1,280
► XM-33	>60L	\$1,360
► XM-51	>80L	\$1,525
► XM-52	>120L	\$1,640
► XM-71	>200L	\$2,195
► XM-72	>250L	\$2,365



SPECIFICATIONS	XM-12	XM-22	XM-31	XM-33	XM-51	XM-52	XM-71	XM-72
Capacity	>10L	>15L	>30L	>60L	>80L	>120L	>200L	>250L
Arm Length	188mm	300mm	306mm	420mm	420mm	520mm	540mm	630mm
Total Length	448mm	564mm	614mm	728mm	765mm	865mm	880mm	970mm
Blade Cover Diameter	65mm	82mm	92.2mm	92.2mm	101mm	101mm	123.3mm	123.3mm
Speed Variation	1500 - 15,000 RPM				Fixed: 12,000 RPM			
Loading	240W	300W	400W	400W	570W	570W	750W	750W
Net Weight (kg)	1.51	2.65	3.34	3.74	4.79	4.85	5.1	5.29

COMBINATION UNITS

► MB-22	>15L	\$1,560
► MB-31	>30L	\$1,815
► MB-51	>80L	\$2,170



SPECIFICATIONS	MB-22	MB-31	MB-51
Capacity As Liquidiser	>15L	>30L	>80L
Arm Length	300mm	306mm	420mm
Blade Cover Diameter	82mm	92.2mm	101mm
Capacity As Whisk	2-30 egg whites	2-50 egg whites	2-80 egg whites
Total Length : Liquidiser	564mm	615mm	765mm
Whisk	570mm	704mm	746mm
Speed Variation	1500-15,000 RPM		
Loading	300W	400W	570W
Net Weight (kg)	3.2	4.61	4.65

Food Preparation | Commercial Hand Blenders & Beaters

BEATERS / WHISKS

► B-20	2-30 egg whites	\$1,375
► B-30	2-50 egg whites	\$1,690
► B-50	2-80 egg whites	\$1,930

SPECIFICATIONS	B-20	B-30	B-50
Capacity	2-30 egg whites	2-50 egg whites	2-80 egg whites
Whisk Length	306mm	396mm	405mm
Total Length	570mm	704mm	746mm
Speed Variation	200 - 1,800 RPM	200 - 1,500 RPM	200 - 1,500 RPM
Loading	240W	400W	570W
Net Weight (kg)	2.62	3.51	4.41



ADDITIONAL ARMS

► 3030624	MA-12 Mixer Arm to suit XM-12	\$275
► 3030640	MA-22 Mixer Arm to suit XM-22	\$410
► 3030653	MA-31 Mixer Arm to suit XM-31, XM-33 & MB-31	\$420
► 3030657	MA-33 Mixer Arm to suit XM-31, XM-33 & MB-31	\$490
► 3030685	MA-51 Mixer Arm to suit XM-51, XM-52 & MB-51	\$520
► 3030687	MA-52 Mixer Arm to suit XM-51, XM-52 & MB-51	\$570
► 3030856	MA-71 Mixer Arm to suit XM-71 & XM-72	\$980
► 3030855	MA-72 Mixer Arm to suit XM-71 & XM-72	\$1,090



ADDITIONAL BEATERS / WHISKS

► 3030641	BA-20 Beater/Whisk to suit B-20	\$665
► 3030670	BA-30 Beater/Whisk to suit B-30 & MB-31	\$695
► 3030696	BA-50 Beater/Whisk to suit B-50 & MB-51	\$795



ACCESSORIES

► 3030314	'Quick Fix' Bowl Clamp	\$175
► 3030320	Clamp Sliding Frame	\$425



Food Preparation | Turbo Liquidiser

► TRX-22	400V/50Hz/3N (with 3 grids) - 2 Speed 750/1500rpm	\$21,590
► 4032389 - Grid 42D - for extra fine grinding		\$695
► 4032403 - Grid 30D - universal use		\$695
► 4032401 - Grid 21D - for fibrous products		\$695

SPECIFICATIONS	TRX-22
Bowl capacity	800L
Arm Length mm	600mm
Electrical Supply	400V/50Hz/3~
Loading	2200W
Speed (RPM)	750-1500
Liquidiser Guard Diameter Ø	290mm
Dimensions (mm)	(operating) 568 x 1643 x 1219 (storage) 568 x 963 x 1651
Net Weight	96kg



Accessories Included



- Designed to work in pots with capacities of up to 800 litres
- For mixing and liquidising directly in the pot or pan, for making consommés, soups, omelettes, mayonnaise, pâté, dips, etc
- Ease of use: can be moved in several directions, adjustable height, fitted on a trolley with 4 non-slip rubber wheels, 2 of them with brakes
- Arm: 600 mm long for blending in any type of cooking pot, whether round or rectangular, equally effective throughout the whole pot
- Balanced liquidiser arm: stops the arm falling or tipping back when not locked
- Arm securing lever: allows you to lock the blender with one hand while holding the trolley with the other
- Watertight, tilted control panel: easy access even during use
- Control panel located on the trolley, making the arm more agile, with better mobility & built in timer: you can leave the machine running for up to 60 minutes without user involvement
- Wiring incorporated into the trolley tubes: The work area is free of cables, so as not to hinder the movement of the blender arm
- Supports for storing the power supply cable: prevents the cable getting tangled and inconveniencing other users
- The turbine, disc and grid are very easy to remove for cleaning - dishwasher safe
- Safety microswitch to control the work position: prevents the turbine working if the arm is too high or low
- Safety guard on the liquidiser head



FOODPRESERVATION + SOUS VIDE



► SE - Vacuum controlled by a highly precise sensor.

Our entry level model is controlled by a high-precision microprocessor that controls the vacuum percentage in the chamber, thus enabling accurate and consistent results at all times and regardless of the quantity of product to be packaged. With control by sensor, better control when packaging liquids is achieved: Knowing the vacuum percentage at which a liquid boils when being packaged, with the control by sensor you can ensure it never exceeds this point. Also, with the sensor an optimisation of working times is obtained: the pump works the necessary amount of time to obtain the desired result, therefore we achieve a reduction in working times which has an impact on the productivity of the business and prolongs the service life of the pump.

Vacuum by Busch

All of the models in the SE range are equipped with robust, reliable, high quality Busch pumps. The Busch pumps can be used continuously and guarantee a maximum vacuum and a long service life.



Oil Dry

All models have a pump drying program, which allows for the pump to be kept in an optimal condition.



Controlled De-compression

Thanks to the impulse-controlled decompression, once the bag has been sealed, the air re-enters the chamber little by little. This prevents any damage to the product or the bag.



Cable Free Sealing Bar

The cable-less sealing bar enables an obstacle-free chamber and makes it easier to clean and maintain in satisfactory hygiene conditions



Stop Button

With a STOP button, at any time, you can end the vacuum stage and pass on to the next phase.

Double Seal

All of the models of packaging machines are equipped with bars fitted with dual bead sealing, guaranteeing perfect sealing of the bag at all times.

Hour Counter

The hours use counter display for oil changing helps improve the durability of the machine.

Pause Button for Marinating

The "pause" button enables "freezing" the vacuum phase and re-starting from the same point. This is especially useful for marinating different products in a recipe, accelerating the blending or curing of products, flavouring products or tenderising meat.



► SU - Vacuum controlled by sensor with widest range of options.

Along with the cutting edge features of our SE Range, the SU Range comes standard with so much more...

Staged Vacuum

All models have a staged vacuum program for soft and porous products. The vacuum process makes several pauses before reaching the final programmed vacuum. This allows removal of the air trapped in the product. This allows for better conditions for the subsequent preservation of the product and vacuum cooking which is much more accurate.



Connectivity & SammicVAC App

Thanks to connectivity via Bluetooth to mobile devices and the free SammicVAC app, it is possible to programme cycles by the name of the product, as well as to design labels.


Label Printing System

Thanks to the exclusive label printing system, it is possible to print laminated labels which are resistant to low temperatures directly from the vacuum packer, without requiring intermediary hardware. The label contains the name of the product, the vacuum value, the date of packaging, the expiry date and the preservation temperature, guaranteeing correct HACCP tracking.



H2O Sensor

Thanks to the new system for detecting the evaporation point of whatever product is being packed, the vacuum process automatically stops when humidity is present, preventing spillage of liquids into the chamber and ensuring the maximum possible vacuum for each product. The vacuum time is always the optimal time for the product being packaged and there is no drying out of the product or contamination of the oil in the pump.



Memory of Programs

In the entire range it is possible to memorise 25 different vacuum programs. Via the app, programs can be blocked to avoid undesired changes being made by the operators and also customized with names and/or specific numbers.

Inert Gas Injections

The inert gas injection system comes standard on all SU models. This function allows you to package in a protective atmosphere. Depending on the gas employed and the product to be packaged, it obtains enhanced conservation, improvement in its appearance and avoids damage in the case of fragile products.

Intelligent, Progressive Decompression

The SU packaging machines have a soft air inlet valve into the chamber for progressive decompression. This is useful for preventing the puncturing of the bag in the case of products which require special protection or ones with sharp edges, or for soft or fragile products.



Food Preservation | Vacuum Packing Machines

200 Series

► **SE-208** 230V/50Hz/1~ **\$4,825**

Sealing Bar Configuration



300 Series

► **SE-310** 230V/50Hz/1~ **\$7,000**

► **SU-310GP** 230V/50Hz/1~ **\$7,370**



400 Series

► **SE-410** 230V/50Hz/1~ **\$8,980**

► **SE-420** 230V/50Hz/1~ **\$10,525**

► **SU-416GP** 230V/50Hz/1~ **\$10,120**

► **SU-420GP** 230V/50Hz/1~ **\$11,620**



(SE) = Sensor

(SU) = Sensor Ultra

SPECIFICATIONS	SE-208	SE/U-310	SE/U-410/416	SE/U-420
Vacuum Pump m³/h	Busch 8	Busch 10	Busch 10/16	Busch 20
Sealing Type	Double	Double	Double	Double
Sealing Bar Length (mm)	280	320	420	420
Electrical Loading	450W	370W	370W/550W	750W
Vacuum Pressure (Max)	2 Mbar	2 Mbar	2 Mbar	2 Mbar
Chamber Dimensions				
w x d x h (mm)	288 x 333 x 110	330 x 360 x 155	430 x 415 x 145/180	430 x 415 x 180
External Dimensions				
w x d x h (mm)	337 x 431 x 331	384 x 465 x 403	484 x 529 x 413/448	484 x 529 x 448
Net Weight	32kg	40kg	49 / 51kg	57kg
Complete With			1 Filling Plate	

Food Preservation | Vacuum Packing Machines

500 Series

			Sealing Bar Configuration
► SE-520 CC	230V/50Hz/1~	\$12,320	
► SU-520GP CC	230V/50Hz/1~	\$12,790	
► SE-520 L	230V/50Hz/1~	\$12,320	
► SU-520GP L	230V/50Hz/1~	\$12,790	



600 Series

► SE-604	230-400V/50Hz/3n~	\$19,345	
► SE-606	230-400V/50Hz/3n~	\$20,100	
► SE-604 CC	230-400V/50Hz/3n~	\$19,345	
► SE-606 CC	230-400V/50Hz/3n~	\$20,100	
► SU-604GP	230-400V/50Hz/3n~	\$19,900	
► SU-606GP	230-400V/50Hz/3n~	\$20,660	
► SU-604GP CC	230-400V/50Hz/3n~	\$19,900	
► SU-606GP CC	230-400V/50Hz/3n~	\$20,660	



800 Series

► SE-806	230-400V/50Hz/3n~	\$25,685	
► SE-810	230-400V/50Hz/3n~	\$29,995	
► SE-806 CC	230-400V/50Hz/3n~	\$25,685	
► SE-810 CC	230-400V/50Hz/3n~	\$29,995	
► SE-806 LL	230-400V/50Hz/3n~	\$25,685	
► SE-810 LL	230-400V/50Hz/3n~	\$29,995	
► SU-806GP	230-400V/50Hz/3n~	\$26,995	
► SU-810GP	230-400V/50Hz/3n~	\$31,295	
► SU-806GP CC	230-400V/50Hz/3n~	\$27,130	
► SU-810GP CC	230-400V/50Hz/3n~	\$31,535	
► SU-806GP LL	230-400V/50Hz/3n~	\$27,130	
► SU-810GP LL	230-400V/50Hz/3n~	\$31,535	



(SE) = Sensor
(SU) = Sensor Ultra

SPECS	SE/U-520 CC / L	SE/U-604/606	SE/U-604/606CC	SE/U-806/810	SE/U-806/810CC	SE/U-806/810LL
Vac Pump	Busch 20	Busch 40/63	Busch 40/63	Busch 63/100	Busch 63/100	Busch 63/100
Sealing type	Double	Double	Double	Double	Double	Double
Seal bar lgth	420+420 / 555	656 + 413	465 + 465	848+530	581+581	848+848
Elec. Load	750W	1100/1500W	1100/1500W	1500/2200W	1500/2200W	1500/2200W
Vac pressure	2 Mbar	0.5 Mbar	0.5 Mbar	0.5 Mbar	0.5 Mbar	0.5 Mbar
Chamber dimensions	568 x 431 x 215	672 x 481 x 200	672 x 481 x 200	864 x 603 x 215	864 x 603 x 215	864 x 603 x 215
External dimensions	634 x 552 x 513	740 x 566 x 997	740 x 566 x 997	960 x 757 x 998	960 x 757 x 998	960 x 757 x 998
Net weight	70.5kg	145/159kg	145/159kg	232/250kg	232/250kg	232/250kg

Vacuum Sealer

► SU-6100GP	Swing Lid Vac (100M ³ /H)	\$38,775
► SU-6160GP	Swing Lid Vac (150M ³ /H)	\$46,530

High Performance model with tilting cover

- 2 Chambers with 2 x 662mm seal bars in each for continuous production

Default Equipment

4 Filling plates

Optional Equipment

Liquid insert plate set



SPECIFICATIONS	SU-6100 GP	SU-6160 GP
Vacuum Pump m ³ /h	100 m ³ /h	155 m ³ /h
Sealing Type	Double	Double
Sealing Bar Length	(662mm + 662mm)	(662mm + 662mm)
Electrical Supply	230-400V/50Hz/3~	230-400V/50Hz/3~
Electrical Loading	2200W	4000W
Vacuum pressure (Max)	0.5 mbar	0.5 mbar
Internal dimensions - w x d x h (mm)	2 x (662 x 656 x 205)	2 x (662 x 656 x 205)
External dimensions (mm)	1640 x 874 x 1370	1640 x 874 x 1370
Net Weight	360kg	390kg

Printer, Labels & Trolley



► 1140568	RB Printer for SU Vacuum Packing Machines Specially configured for Sammic SU models to print labels directly from the machine	\$1,485
► 1140567	5000 Pre-cut labels + 1 x Ribbon for RB Printer High heat resistance - suitable for sous vide	\$370
► 1140566	4 x Rolls of 1000 Pre-cut labels	\$485
► 1140560	Trolley for 400 Series Vac Packers 505 x 550 x 630mm	\$1,865
► 1140561	Trolley for 500 Series Vac Packers 645 x 555 x 630mm	\$1,960

Food Preservation | SU VAC NORM

Vac-Norm External Vacuum Kit

- **2149244** Vac-Norm External Vacuum Kit **\$275**

Never buy bags again!

All Sammic vacuum packing machines are ready to use the Vac-Norm external vacuum kit. An external vacuum kit, specially designed thick guaged containers and covers allow you to vacuum-pack directly into re-usable Vac-Norm containers instead of using bags.

Perfect for burger joints, sandwich shops, pizza places, cold larders and any eco-conscious kitchens - drastically reduce your consumables with this durable and sustainable system.



Food Preservation | Vac-Norm Accessories

Vac-Norm External Vacuum Kit

- **2149244** Bench top machines **\$275**
- **2149257** Freestanding machines **\$295**



Vac-Norm Containers

► 5140100 - 1/1 D:200mm	(27L)	\$465
► 5140102 - 1/1 D:150mm	(20.5L)	\$415
► 5140104 - 1/1 D:100mm	(14L)	\$375
► 5140106 - 1/2 D:150mm	(9L)	\$255
► 5140108 - 1/2 D:100mm	(6L)	\$240
► 5140110 - 1/3 D:150mm	(5.5L)	\$230
► 5140112 - 1/3 D:100mm	(3.5L)	\$195



Vac-Norm Covers

► 5140114 - Cover 1/1	(with valve & gasket)	\$255
► 5140115 - Stainless steel cover 1/1	(with valve & gasket)	\$395
► 5140116 - Cover 1/2	(with valve & gasket)	\$230
► 5140117 - Stainless steel cover 1/2	(with valve & gasket)	\$270
► 5140118 - Cover 1/3	(with valve & gasket)	\$195




Bag Cutting Kit

► 2149774 - For use with 413mm Seal Bar	\$415
► 2149772 - For use with 420mm Seal Bar	\$415
► 2149775 - For use with 465mm Seal Bar	\$530
► 2149777 - For use with 530mm Seal Bar	\$565
► 2149838 - For use with 555mm Seal Bar	\$590
► 2149773 - For use with 656mm Seal Bar	\$640
► 2149776 - For use with 848mm Seal Bar	\$850
► 2149778 - For use with 581mm Seal Bar	\$625
► 2149779 - For use with 662mm Seal Bar	\$710



Liquid Insert Plates

► 2149531 - For use with 300 Series	\$275
► 2149020 - For use with 400/500 Series	\$285
► 2149074 - For use with 600 Series	\$310
► 2141798 - For use with 800 Series	\$330



Vacuum Bags for Chamber Machines

► 1523-70µm 150 x 230, 70µm, QTY 100	\$16	10pks of 100
► 2025-70µm 200 x 250, 70µm, QTY 100	\$21	10pks of 100
► 2030-70µm 200 x 300, 70µm, QTY 100	\$23	10pks of 100
► 2535-70µm 250 x 350, 70µm, QTY 100	\$30	10pks of 100
► 3040-70µm 300 x 400, 70µm, QTY 100	\$42	5pks of 100
► 3545-70µm 350 x 450, 70µm, QTY 100	\$49	5pks of 100
► 4045-70µm 400 x 450, 70µm, QTY 100	\$58	5pks of 100
► 4055-70µm 400 x 550, 70µm, QTY 100	\$68	5pks of 100

Cooking Grade Vacuum Bags

► 1520-100µm 150 x 230, 100µm, QTY 100	\$26	10pks of 100
► 2030-100µm 200 x 300, 100µm, QTY 100	\$40	10pks of 100
► 2535-100µm 250 x 350, 100µm, QTY 100	\$57	5pks of 100
► 3040-100µm 300 x 400, 100µm, QTY 100	\$70	5pks of 100



Food Preservation | External Vacuum Packing

Jumbo Magic Vac V704 PKI

► **V704 PKI** Jumbo Magic Vac **\$2,550**

- Electronic timer and digital keyboard
- Powerful air extraction using a self lubricating double pump
- 40cm sealing bar with cooling system
- Patented lock / unlock system
- Automatic marinating feature
- Includes connection tube for accessories and Magic Cutter bag cutting tool



SPECIFICATIONS

Pump Flow Rate	31.5L/min
Loading	380W
Dimensions - w x d x h (mm)	540 x 315 x 180
Net Weight	12.4kg

Jumbo 30 EVO V775 PK2

► **V775 PK2** Jumbo 30 EVO **\$1,375**

- Manufactured in medical grade stainless steel
- Professional performance with powerful double pump
- Self locking clips for an effective seal
- Large 3mm width seal
- Easy to use automatic function & manual cycle with instant sealing for crispy and delicate foods
- Specific cycle for quick vacuum marinating
- Includes connection tube for accessories and Magic Cutter bag cutting tool
- 34cm Seal Bar



SPECIFICATIONS

Pump Flow Rate	18L/min
Loading	130W
Dimensions - w x d x h (mm)	415 x 245 x 125
Net Weight	5kg

External Vacuum Packing Bags

► ACO 1116 Set of 50 Bags	40 x 50cm	\$93
► ACO 1118 Set of 2 Rolls	40 x 600cm	\$105
► ACO 1059 Set of 50 Bags	20 x 30cm	\$49
► ACO 1064 Set of 50 Bags	30 x 40cm	\$63
► ACO 1068 Set of 2 Rolls	30 x 600cm	\$70

External Vacuum Canisters

► ACO 1073 2.5L Executive Container Complete	\$71
► ACO 1005 Set of 2 Executive Round Containers Complete (2L & 4L)	\$120
► ACO 1137 1.25L Glass Container Complete	\$125
► ACO 1138 1.95L Glass Container Complete	\$155





SMART VIDE

by Sammic



Temperature-controlled sous-vide cooking has become an indispensable technique for any kitchen that follows the latest trends. More than a fashion, it's a cooking technique that gains praise for both its advantages related to product quality and the economic and organisational benefits that this means.

Extreme Precision

Equipped with a precision temperature control system, obtaining highly consistent results.



CUSTOM

- Energy Saving Insulated Baths with Custom Lids
- Drainage Taps for OH&S



GASTRONORM

- Max. Capacity 56L/30L
- Min. Depth: 150mm

- Max. Capacity 56L/30L
- Min. Depth: 150mm
- Max. Depth: 200mm

OTHERS



Professional Performance

- Enables HACCP traceability - save, export or print cooking results
- Store up to 20 recipes for consistent results every cycle
- Turn your machine on before your arrival to ensure you are up to temp and ready to go using the deferred start option
- Both models are compatible with the new customised tracking system for cook times, **Janby Track**

Food Preservation | SMARTVIDE

Commercial high-precision sous-vide cookers that are reliable, user-friendly and portable. Cutting edge features allow the interchange of important data to improve the chef's experience and provide effective HACCP management.

Streamline kitchen process and reduce waste with easy portion control.

SMARTVIDE

by Sammic



SmartVide 9



SmartVide 5

► SmartVide 9	56L Capacity	\$3,100	Bluetooth™
► SmartVide 5	30L Capacity	\$2,130	

SPECIFICATIONS	SMARTVIDE 9	SMARTVIDE 5
Capacity	56L	30L
Temperature Precision	0.01°C	0.01°C
Temperature Range	5°C - 95°C	5°C - 95°C
Cycle Duration	1min - 99Hr + Continuous	1min - 99Hr + Continuous
Bluetooth Connectivity	Yes	Yes
HACCP Ready	Yes	Yes
Programming Capacity	20 Recipes	20 Recipes
Total Loading	2000W (10A)	1600W (10A)
Submergible Part Dimensions - w x d x h (mm)	117 x 110 x 147	116 x 94 x 147
Total Dimensions - w x d x h (mm)	124 x 140 x 360	116 x 128 x 350
Net Weight	4.1kg	2.7kg

Food Preservation | Immersion Circulator Accessories

► 1180060	Insulated Tank for Immersion Circulator (28L)	\$1,250
► 1180065	Insulated Tank for Immersion Circulator (56L)	\$1,570

- Double skinned + fully insulated
- Stainless steel construction
- Complete with tap for easy drainage



► 1180062	Lid for Insulated Tank (28L)	\$175
► 1180067	Lid for Insulated Tank (56L)	\$286

- Stainless steel construction (28L)
- Prevents water evaporation during cooking process
- Adapts to 1/1 and 2/1 standard Gastronorm containers as well as Sammic 56L insulated tank
- Complete with handle and cut out to fit the SmartVide range



► 1180080	Floating Balls (1000 units)	\$265
-----------	------------------------------------	-------

- Hollow Plastic Floating Balls - 20mm diameter
- Create a blanket of insulation in any open bath, reducing heat loss and evaporation
- Help keep vac packs under the water
- Reduce fumes and splashing hazards
- Can be used in temperatures up to 110°C and in most bath fluids



► 1180090	Needle Probe for Smartvide9 and XL	\$495
-----------	---	-------

- To be used in conjunction with probe foam seal to retrieve and record internal temperatures of items within the sous-vide bath
- All results are logged and can be exported to your printer or smart device for HACCP control
- Accurate to 0.01°C of a degree



► 5170060	Probe Foam Seal Tape	\$110
-----------	-----------------------------	-------

- 10mm x 4M
- Used to prevent losing vacuum into the bag when using a needle probe





Introducing the Sous-vide cooker

SMARTViDE

XL

- HACCP Control made easy, at a glance, at any time
- 5" Full Colour Touch Screen Display
- Ability to Work for indefinite time - perfect for re-generation
- Firmware Updates - features and upgrades can be added remotely
- Janby Track Ready
- Bluetooth & Wifi Enabled
- Designed to work in containers of up to 120L Capacity, which translates to 200 portions of 200g each

Probe Activated Cycle Start: When established temperature is reached at the heart of the product, the cycle starts automatically - crucial for pasturisation

► SmartVide XL

120L Capacity



SmartVide XL is the ideal solution when professional performance and high production is required. Pair with the 120P Heated Tank for maximum yield with the accuracy of a typical countertop set up.

\$5,680

SPECIFICATIONS

SMARTVIDE XL	
Operating Temperature	5°C - 95°C
Display Precision	0.01°C
Display	5" TFT Capacitive Touch Screen
Cycle Duration	1min - 99Hr, indefinite
Permitted Ambient Temperature	5°C - 40°C
Maximum Capacity	120L
Loading	2600W (15A)
Submergible Part Dimensions w x d x h (mm)	117 x 110 x 197
External Dimensions w x d x h (mm)	125 x 148 x 435
Net Weight	4.65kg

FOODPRESERVATION + SOUS VIDE

► 120P Heated 120L Tank

\$10,150

Connected to and controlled by Smartvide XL

- Intelligent interaction allows for optimisation of heating times
- Ideal for large cooks, large scale regeneration and cooking quickly from frozen
- Double skinned stainless steel construction
- Release tap at front for easy water disposal
- Water inlet tap



SPECIFICATIONS	120P
Capacity	120L
Electrical Loading	3000W (15A)
Total Loading w/SmartVide XL	5600W
External Dimensions WxDxH mm	738 x 582 x 850 (900 w/SV)
Net Weight	39.5kg



Watch Video



Accessories suit the 120P Heated Tank

► 1180427	120P Heated Tank Lid	\$475
► 1180430	245 x 190 x 315mm Basket	\$415
► 1180433	480 x 190 x 315mm Basket	\$590
► 1180436	199 x 176 x 351mm Rack	\$325




Basket

Tank dividers to suit 120P, 56L and 28L insulated tanks

► 1180180	Tank Divider S (28L Tank)	\$182
► 1180181	Tank Divider M (56L Tank)	\$290
► 1180182	Tank Divider L (56L Tank)	\$335
► 1180183	Intermediate Divider 1/2 (56L Tank)	\$167
► 1180184	Intermediate Divider 2/3 (56L Tank)	\$180
► 1180188	Tank Divider Support - Set of 2	\$345



56L Tank



Divider



Divider Support



Divider



Tank with Divider

*NB - All tank dividers must be installed on 2 x supports, all intermediate dividers must be installed on a divider and a support.

DRINK PREPARATION



Drink Preparation | Centrifugal Juicers

Juicemaster® Professional

► **S42-8** Centrifugal Juicer **\$1,045**

- Continuous juice production & automatic pulp ejection
- Circular feeding hole 75mm
- Turbo switch for ejecting pulp when busy



Santos #50CX - Centrifugal Juicer

► **Santos #50CX** Centrifugal Juicer **\$4,100**

- Continuous juice production & automatic pulp ejection
- Perfect filtration and wide feeding chute of 79.5mm Ø
- Spout height: 200mm - accepts glasses, jugs & some blender containers
- New 'Auto-Clean' basket assists pulp ejection and maximum production
- Safety: micro switched locking arm and motor protected by thermal overload
- Powerful & quiet asynchronous motor



Auto Clean Basket



Santos #68X - Centrifugal Juicer

► **Santos #68X** Centrifugal Juicer **\$6,100**

- Continuous juice production & automatic pulp ejection
- Perfect filtration and wide feeding chute of 79.5mm Ø
- Spout height: 230mm, accepts glasses, jugs & blender containers
- New Auto-Clean basket assists pulp ejection and maximum production
- Patented Safety system, electric cut-off and motor brake when opening, stainless steel cover, motor protected by thermal overload



Auto Clean Basket



SPECIFICATIONS	S42-8	#50CX	#68X
Output	up to 1L/min	1.5L/min	2L/min
Speed	6300rpm	3000rpm	3000rpm
Loading	240W	800W	1300W
Electrical Supply	220-240V/50Hz/1~		
Dimensions - w x d x h (mm)	205 x 310 x 360	260 x 470 x 450	320 x 480 x 580
Net Weight	5kg	14.5kg	26kg

Drink Preparation | Citrus Juicers

Santos #11 - 'Classic'

► Santos #11 Citrus Juicer \$1,045

- Hand operated
- Asynchronous motor
- 3 different removable squeezers for limes, lemons/oranges & grapefruits



Santos #10

► Santos #10 Citrus Juicer \$1,460

- Maximise juice yield with a dedicated citrus juicer - no need to peel fruit
- Stainless steel cone & strainer
- Ergonomically lever operated
- Special clutch system - instant start and stop
- Heavy duty and quiet asynchronous motor



Santos #52G

► Santos #52G Citrus Juicer \$1,750 new

- Anti splash dome
- 3 different removable squeezers for limes, lemons/oranges & grapefruits
- Stainless steel removable bowl
- Spout height: 212mm



Santos #70 'Evolution'

► Santos #70 Citrus Juicer \$2,200

- High performance, reliable citrus juicer with heavy duty asynchronous motor
- Patented clutch system for automatic start/stop of the cone
- Ergonomic articulate lever
- New seals for vibration reduction & improved waterproof switching



SPECIFICATIONS	#11	#10	#52G	#70
Output	30L/Hr	30L/hr	40L/Hr	50L/Hr
Speed	1500rpm	1500rpm	1500rpm	1500rpm
Loading	130W	260W	230W	300W
Dimensions - w x d x h (mm)	300 x 230 x 350	200 x 300 x 380	305 x 205 x 490	290 x 400 x 490
Net Weight	5kg	9.5kg	10kg	13.5kg



Drink Preparation | Automatic Juicers

Nutrisantos™ #65 Cold Press Juicer

► **Santos #65** Cold Press Juicer **\$8,795**

The cold press juicer Nutrisantos™ #65 is the solution to all juice bars, restaurants and shops wishing to make fresh cold pressed juices, on demand, in front of the customer. This is a new way of juicing, pressing very slowly all kind of fruits, veggies, leafy greens, and preserving the vitamins, nutrients, enzymes, and minerals. Santos has two patents on the cold press system, which is a real innovation on the market.

- High output, commercial cold pressed juicer with aluminium body and stainless steel food zone
- Slow movement (max 80rpm) means no heat is created and the nutrients are kept within the juice
- Independent motors to get the best yield out of each different product juiced



SPECIFICATIONS

#65 CPJ

Output	Approx up to 60L per hour
Loading / Speed	650W / 80RPM (max)
Dimensions - wxdxh(mm)	236 x 412 x 642
Net Weight	29kg

Santos #32 - Automatic Orange Juicer

► **Santos #32** 220-240V/50Hz/1~ Automatic Orange Juicer (Benchtop) **\$17,385**
 ► **Santos #32T** 220-240V/50Hz/1~ Automatic Orange Juicer (Stand) **\$19,960**

- Automatic peel ejection through bench mount or to supplied bin in trolley
- Pressure can be adjusted by simple rotation of upper squeezers
- Large capacity feeding hopper - Approx. 10kg of oranges
- 7L juice container with removable pip filter & manual pulp agitator
- Removable knife plate and cones for easy cleaning
- Large safety stop button and automatic motor cut-off when door is opened
- Inlet opening - Orange diameter 60-90mm



SPECIFICATIONS

#32/32T

Output	<100L/Hr
Speed	1500rpm
Loading	600W
Dimensions - w x d x h (mm)	600 x 410 x 1026 / 845 x 410 x 1816
Net Weight	65.5kg / 86.5kg

Santos #66 - Compact Brushless Blender

► Santos #66	Brushless blender	\$2,900
66100	Extra complete container	\$425
66100R	Extra complete container - Red	\$425
66100Y	Extra complete container - Yellow	\$425



- Brushless motor - low consumption, high performance, silent and durable - it can be used intensively without overheating
- Titanium coated blade that is highly resistant and adapted for intensive use
- Comes complete with clear container. Option red or yellow containers to help prevent cross contamination of allergens
- Dual Crushing Action: Patented two-way blade rotation
- 9 Preset and fully optimised programs
- Two step safety system - motor will cut off if lid or jug are not set in place
- Easy to use touchpad with LCD display
- Easy Maintenance: each part can be dismantled (including the blade assembly)



Santos #62 - Brushless Blender

► Santos #62	Brushless blender	\$3,650
62100	Extra complete container	\$425
62100R	Extra complete container - Red	\$425
62100Y	Extra complete container - Yellow	\$425



- New coloured containers for use with allergy sensitive ingredients to prevent cross contamination
- Independantly tested, quietest on the market
- Advanced technology - no carbon brushes giving longer life
- Highly energy efficient and extremely quiet
- Tactile control panel with 30 pre-programmed recipes and ability to customise via a USB port
- In counter and counter top versions - same machine
- Bisphenol free, graduated, stackable jug
- Patented 2-way blade rotation system
- Smooth blade one side, toothed blade other



SPECIFICATIONS	#66	#62
Container Capacity	2.4L	2.4L
Usable Capacity	1.4L	1.4L
Speed	Max Torque 8N.m	Max Torque 8N.m
Dimensions - w x d x h (mm)	197 x 233 x 393	247 x 200 x 441
Net Weight	6.2kg	8.3kg

Blendmaster® TB-2000

► TB-2000	Blendmaster	\$845
TM-003	Extra complete container	\$325

- 2L BPA Free Jug
- On-Off switch with variable speed control and pulse function
- Filler cap in lid and polycarbonate agitator supplied to add ingredients mid-use
- Specially designed 2-in-1 cutting assembly



Drinkmaster® M98

► M98	Drinkmaster Milkshake Mixer	\$595
--------------	-----------------------------	-------

- Powerful 300W / 15000 RPM motor
- Activating microswitch
- Manufactured in light alloy steel
- Supplied with agitators for milkshakes and thickshakes

* Cup Not Supplied with Machine



Santos® #34 Cold Drink Dispenser

► Santos #34.1	Single Bowl	\$2,300
► Santos #34.2	Double Bowl	\$3,160
► Santos #34.3	Triple Bowl	\$4,100

- Ideal for tropical climates, the units hold 4°C - 12°C comfortably at an ambient temperature of 32°C
- Wide air cooling condenser with dedicated fan for efficiency
- Condensation water recovery system
- Removable bowl, cover and tap screw
- Independent stirring paddle
- High quality and long lasting hermetically sealed compressor



SPECIFICATIONS	TB-2000	M98	#34.1	#34.2	#34.3
Capacity	2L container	-	1 x 12L	2 x 12L	3 x 12L
Loading	850W	300W	160W	260W	330W
Dimensions (w x d x h) mm	205 x 230 x 510	180 x 210 x 485	190 x 430 x 545	380 x 430 x 545	570 x 430 x 545
Net weight	5.5kg	3.4kg	15kg	24kg	31kg





i-Grind Coffee Grinder

► Santos #67

Coffee Grinder



\$4,950



Thanks to its innovative brushless motor, the I-GRIND coffee grinder offers a new step in coffee adjustments by choosing the motor speed variation. With the I-GRIND coffee grinder you can make your own recipes according to 3 parameters : grinding adjustment, grinding time and motor speed.

- Exclusive brushless motor : from slow to high speed grinding for optimum preservation of the coffee
- Customised recipes : choose the grind size, time and motor speed to suit your needs, space to store 6 recipes
- Quick access to the grinding area and anti-static tab : easy maintenance & cleaning
- Integrated LCD display and Turn & Push button
- Easy adjustment: optimal grinding adjustment nut for easy grip
- Sturdy portafilter holder for a secure attachment of the portafilter
- Santos manufactured grinding burrs: Ø 63,5 mm grinding discs which are designed and manufactured by Santos for a high quality grinding, precise and fine



SPECIFICATIONS	#67
Hopper Capacity	1kg
Average Output	>25kg
Disc Diameter	63.5mm
Loading	1010W
Dimensions (w x d x h mm)	226 x 362 x 520
Weight	11kg

Kawa Coffee Grinder

new

► Santos #76 Coffee Grinder

\$1,780

Kawa Coffee Grinder #76 has been designed for brewing methods or grinding coffee in small quantities

- Continuous dose & pulse function available for adjustments
- Easy adjustment: optimal grinding adjustment nut for easy grip
- Removable fork : suitable for portafilter and cups
- Extremely fast: 7g dose dispensed in 1.5 second
- Exclusive Ø 54 mm grinding discs which are designed and manufactured by Santos for a high quality grinding, precise and fine
- Quick access to the grinding areas (in less than one minute) makes maintenance & cleaning easy while preserving dose settings
- Powerful: reliable commercial induction motor



new

► Santos #01BAR Barista Edition

\$3,250

Official coffee grinder of the French Barista Championships 2019 and 2021, this special edition dedicated to baristas is based on the traditional coffee grinder from 1954. A unique design and high quality features for a premium coffee.

- Santos manufactured grinding burrs: Ø 63,5 mm grinding discs, high quality grind, precise and fine
- Direct dispensing of coffee and ergonomic coffee grinder spout
- Micrometric adjustment: Precise micrometric scale to adjust the grinding size: espresso, filter, French press, et, al.
- Horizontal axis feeding screw
- Powerful: reliable commercial induction motor



SPECIFICATIONS	#76	#01BAR
Hopper Capacity	400g	1kg
Average Output	>17Kg/Hr	>20Kg/Hr
Disc Diameter	54mm	63.5mm
Loading	800W	600W
Dimensions (w x d x h mm)	180 x 270 x 400	190 x 330 x 560
Weight	8kg	14.5kg

Drink Preparation | Coffee Grinders

► Santos #55BFK Auto Silent Coffee Grinder

\$2,885

Guarantee of a fresh ground coffee. Ideal appliance to serve a high quality espresso.

- Easy to use control panel counts and displays the number of group heads filled
- 63.5mm grinding discs that are highly resistant and long lasting
- Grind Precision: 0.02mm per graduation
- Powerful and reliable commercial motor
- Coffee is automatically dosed into the group head thanks to detectors in the filter holder
- Noise Level : 63dBA
- Built in tamper
- Extremely efficient - dose dispensed in less than a second



► Santos #59 (W) On-Demand Coffee Grinder

\$2,950

Silent, fast and durable, it offers a constant and precise dose, and a unimodal grinding, for a high quality coffee. **Also available in white.

- Integrated LCD display: easy customization of the grinder according to your needs: dose adjustment, statistics, brightness, etc.
- Pulse function for a customized dose adjustment
- Easy adjustment: optimal grinding adjustment nut for easy grip
- Portafilter holder for a safe attachment of the portafilter holder
- Quick: 1 dose dispensed in less than 1 second
- Silent: 63dBA
- Santos manufactured grinding burrs: Ø 63,5 mm grinding discs, high quality grind, precise and fine
- Fully automatic: the precise dose of coffee for 1 or 2 espressos is directly dispensed when the filter holder is detected



► Santos #63 High Output Coffee Grinder 230V/50Hz/1~

\$9,785

This is the ideal appliance for all stores which distribute large quantities of ground coffee/herb & spices: coffee shops, supermarkets and roasting establishments

- This is the ideal appliance for all stores which distribute large quantities of ground coffee: Supermarkets, roasting stores, wholesalers etc
- Bag holder & vibrating plate makes self-service & production processing easy
- Precise and reliable high quality grinding every time
- Can produce >36Kg of Turkish Coffee per hour
- 120mm diameter triple cut grinding discs that can be resharpened
- Noise level: 65dBA
- Powerful and reliable commercial motor



SPECIFICATIONS	#55BFK	#59	#63
Hopper Capacity	1kg	1kg	1.2kg
Average Output	>25Kg/Hr	>25Kg/Hr	>120Kg/Hr
Disc Diameter	63.5mm	63.5mm	120mm
Loading	1100W	1100W	1500W
Dimensions (w x d x h mm)	198 x 397 x 540	198 x 352 x 540	279 x 329 x 677
Weight	15kg	15kg	40kg

Drink Preparation | Ice Crushers

Ceado G30 - Ice Shaver

► **G30**

230V/50Hz/1~

\$1,865

- For shaving ice to snow cone consistency
- 1400rpm
- Capacity: up to 2kg per minute
- Fan cooled motor
- Loading: 300W
- Dimensions - w x d x h (mm): 210 x 450 x 430
- Net Weight: 9kg



Ceado V90 - Ice Crusher

► **V90**

230V/50Hz/1~

\$1,595

- 900rpm
- Capacity: up to 2kg per minute
- Loading: 150W
- Dimensions - w x d x h (mm): 210 x 230 x 460
- Net Weight: 4kg



Santos #53 - Ice Crusher

► **Santos #53**

230V/50Hz/1~

\$2,735

- 73rpm
- Capacity: 3kg/min
- Heavy duty, high output
- Both fine and coarse crush choice
- Loading: 155W
- Dimensions - w x d x h (mm): 236 x 353 x 474
- Net Weight: 10kg



NB: Ice used for the above machines MUST come from an ice machine



ICE CREAM MACHINES

Gelato Chef 3L Auto i-Green

► Chef 3L Auto i-Green	Bench top ice cream machine	\$3,150
► 0005500015R00	Additional Removable Bowl	\$250

- Separate paddle and refrigeration switches
- Removable bowl allows the user to immediately begin preparation of a second batch in the fixed bowl once removed
- Automatic cycle program allows the user to press a button and walk away



Gelato Chef 5L Auto i-Green

► Chef 5L Auto i-Green	Bench top ice cream machine	\$4,285
► 0005700034R00	Additional Removable Bowl	\$295

- Separate paddle and refrigeration switches
- Removable bowl allows the user to immediately begin preparation of a second batch in the fixed bowl once removed
- Automatic cycle program allows the user to press a button and walk away



Gelato 4K Touch i-Green

► 4K Touch i-Green	Bench top ice cream machine	\$6,160
► 0005500020R00	Additional Removable Bowl	\$470

- Fully Automatic & touchscreen operated
- 4 Pre-programmed densities that switch automatically to the corresponding storage program once desired consistency is detected
- Cycle progression indicator



SPECIFICATIONS	3L Auto	5L Auto	4K Touch
Output	3L/Hr	4.5L/Hr	5.6L/Hr
Output Per Batch	Approx. 1.5L	Approx. 1.5L	Approx. 1.5L
Time per Batch	25-30mins	20-25mins	12-15mins
Bowl Volume	2L	2.5L	2.5L
Speed	30 Rpm	65 Rpm	65 Rpm
Electronic Density Control	✓	✓	✓
Automatic Storage	8Hrs	8Hrs	8Hrs
Removable Bowl	✓	✓	✓
Preset Programs	1	1	4 cycle, 4 storage
Waste Drainage System	X	X	X
Loading	160W	250W	320W
Dimensions (w x d x h) mm	400 x 320 x 315	450 x 320 x 315	415 x 415 x 300
Net Weight	16kg	22kg	26.5kg

Ice Cream Machines | i-Green Technology

High Production CREA Range

- ▶ **Gelato 5K CREA SC i-Green** \$8,985
- ▶ **Gelato 6K CREA i-Green** \$12,320



- Stainless Steel paddle with interchangeable scrapers
- Dedicated software allows four different programs depending on your requirements - Classic Gelato, Semi-soft Gelato, Granita + Shock Freezing
- 4 corresponding automatic storage programs
- Magnetic safety device - when lid is lifted paddle stops automatically
- Gravity drainage system to aid the cleaning process



Gelato 5+5 Twin CREA

- ▶ **Gelato 5+5 Twin CREA i-Green** \$19,995
- Two separate refrigeration and blending systems
- Ability to serve straight from the bowl and top up as you go thanks to fast batch production times
- Equipped with wheels and brake for easy movement as needed
- Easy cleaning gravity drainage system



SPECIFICATIONS	5K CREA SC	6K CREA	5+5K Twin CREA
Output	>7L/Hr	>10L/Hr	2 x >7L/Hr
Output Per Batch	Approx. 1.75L	Approx. 2.5L	Approx. 2 x 1.75L
Time per Batch	12-15mins	12-15mins	12-15mins
Bowl Volume	3.2L	5L	2 x 3.2L
Speed	65 Rpm	60-130 Rpm	65 Rpm
Electronic Density Control	✓	✓	✓
Automatic Storage	8Hrs	8Hrs	8Hrs
Removable Bowl	X	X	X
Preset Programs	4 cycle, 4 storage	4 cycle, 4 storage	4 cycle, 4 storage
Waste Drainage System	✓	✓	✓
Loading	500W	600W	950W
Dimensions (w x d x h) mm	465 x 480 x 395	580 x 530 x 450	660 x 435 x 1050
Net Weight	35.5kg	50.5kg	84.5kg

Gelato 15K CREA

► **15K CREA** Free standing ice cream machine **\$17,875**

- Highly efficient, large capacity production
- Easy to use CREA programming
- Manual variable speed control to achieve desired bespoke consistency
- Gravity drainage system to aid cleaning process



Gelato 12K ST

► **12K ST** Free standing ice cream machine **\$19,570**

- A very powerful machine with fully customisable temp. control
- Variable rotation speed (60 to 130 rpm) of the mixing paddle for the best results of each recipe
- Mixing paddle motor is controlled with an electronic inverter
- Equipped with brake fitted wheels making it easy to move where needed
- Easy frontal extraction by reversing the paddle direction and opening the gate



SPECIFICATIONS	15K CREA	12K ST
Output	20L/Hr	16L/Hr
Output Per Batch	Approx. 4L	Approx. 4L
Time per Batch	8-10mins	10-15mins
Bowl Volume	6L	6L
Speed	60-130 Rpm	60-130 Rpm
Electronic Density Control	✓	✓
Automatic Storage	8Hrs	X
Removable Bowl	X	X
Preset Programs	4 cycle, 4 storage	Fully Customisable
Waste Drainage System	✓	✓ + Frontal extrusion
Loading	1300W	1300W
Dimensions (w x d x h) mm	450 x 590 x 1050	450 x 730 x 1050
Net Weight	70.5kg	77kg

4 Magic PRO100

► **4 Magic PRO100** Compact Benchtop Display Unit **\$6,895**

- A space conscious and high quality table top gelato storage case
- Preservation is enhanced by a double-walled refrigeration cell
- Transparent lid for full visibility of product
- Electronic programming and display allows the user to select and set desired serving temperature
- Capacity: 4 x 2.5L GN Trays
- Operating Temp. Range: -10°C to -16°C
- Loading: 200W
- Dimensions: 1000 x 450 x 360mm (wxdxh)
- Net Weight: 35.6kg





**Quality Foodservice
Equipment**



A leading manufacturer of quality foodservice equipment: ware washing, food prep, food preservation and sous-vide cooking equipment.

www.sammic.com.au

All prices subject to GST

OTHER PRODUCTS



Other Products

Vimitex Electric Crepe Plates

► 701EL35	Electric Crepiers - Single plate	\$1,595
► 702EL35	Electric Crepiers - Double plate	\$3,190

- Non stick plate made of a specially treated cast iron- not coated.
- Loading 701EL35: 2200W (10A)
- Loading 702EL35: 4400W (20A)
- 701EL35 - 350mm diameter, 425 x 505 x 145mm
- 702EL35 - 350mm diameter, 835 x 505 x 145mm
- Net Weight 701EL35: 17kg
- Net Weight 702EL35: 31kg



Sammic MO-1000 Microwave

► MO-1000	Static Ceramic Base Microwave	\$1,080
------------------	-------------------------------	----------------

- Stainless steel cabinet and cavity with a static ceramic base, giving greater capacity
- Fully programmable - 10 programs
- Microwave output: 1000W



Sammic MO-1834 Microwave

► MO-1834	Static Ceramic Base Microwave w Shelf Kit	\$2,695
------------------	---	----------------

- Commercial microwave oven with 2 magnetrons
- Stainless steel cabinet and cavity
- Static ceramic base and optional shelf gives greater capacity
- Fully programmable
- Microwave output: 1800W



SPECIFICATIONS	MO-1000	MO-1834
Timer (min-max)	0'-60'	0'-60'
Interior Volume	25L	34L
Internal Dimensions - w x d x h (mm)	327 x 346 x 200	360 x 409 x 225
External Dimensions - w x d x h (mm)	510 x 430 x 310	574 x 526 x 368
Microwave Output Power	1000W	1800W
Total Loading	1550W (10A)	2800W (15A)
Net Weight	14.7kg	32.2kg

Other Products | Toasters & Contact Grills

Fiamma Toasters

- **TRS 20.4** Single horizontal loading electric toaster \$685
- **TRD 30.4** Double horizontal loading electric toaster \$950

SPECIFICATIONS	TRS 20.4	TRD 30.4
Output Toasts /Hr (depending on bread type)	120	240
Loading	2000W (10A)	2750W (15A)
Electrical Supply	230V/50Hz/1~	230V/50Hz/1~
Dimensions - w x d x h (mm)	525 x 305 x 325	525 x 305 x 445
Net Weight	8.2kg	10.5kg
Instant Heat Glass Elements	6	9



TRS 20.4



TRD 30.4

Fiamma Cast Iron Contact Grills

- **GR 6.1L** Grooved upper and smooth lower plate \$1,160
- **GR 6.1LTL** Smooth upper and lower plate \$1,160
- **GR 8.2L** Grooved upper and smooth lower plate \$2,145

- Cast iron plate ensures both extremely even cooking and the ability to scrub the plates clean with abrasive
- Manually adjustable top plate to cook to your specification



GR 6.1



GR 8.2L

SPECIFICATIONS	GR 6.1L	GR 6.1LTL	GR 8.2L
Surface Plate Size (mm)	365 x 245	365 x 245	550 x 245
Thermostat Setting (max)	250°C	250°C	250°C
Loading	3000W (15A)	3000W (15A)	3600W (15A)
Electrical Supply	230V/50Hz/1~	230V/50Hz/1~	230V/50Hz/1~
Dimensions - w x d x h (mm)	510 x 430 x 240	510 x 430 x 240	690 x 430 x 240
Net Weight	28kg	28kg	37kg

Fiamma Stainless Steel Duplex Contact Grill Range

- **CG 4 SS** 230V/50Hz/1~ \$1,520
- **CG 6 SS** 230V/50Hz/1~ \$1,766

DUPLEX brings you the best of both worlds: the exceptional conductivity of aluminium and the noble work surface that only stainless steel provides



CG 6 SS

SPECIFICATIONS	CG 4 SS	CG 6 SS
Power	1.7kW (10A)	3kW (15A)
Outer Dimensions - w x d x h (mm)	350 x 445 x 245	470 x 445 x 245
Net Weight	13.5kg	16.5kg
Plate Size (mm)	250 x 250	370 x 250

Santos #01P Dry Herb & Spice Grinder

► **Santos #01P** Dry Herb & Spice Grinder

\$2,885

- 63.5mm diameter, high resistance and long lasting grinding discs that can be re-sharpened
- Precision grinding from very fine to coarse that is very easily adjusted to your liking
- Powerful and reliable commercial motor
- 800g bisphenol free plastic drawer
- Due to the configuration of the grinding system only dry herbs and spices must be used



Santos #63 Dry Herb & Spice Grinder

► **Santos #63** Dry Herb & Spice Grinder

\$9,785

- This is the ideal appliance for all stores which distribute large quantities of ground dry herbs & spices: Supermarkets, roasting stores, wholesalers etc
- Bag holder and vibrating plate makes self-service & production processing easy
- Precise and reliable high quality grinding every time
- Can produce >36Kg of Turkish Coffee per hour
- 120mm diameter triple cut grinding discs that can be resharpened
- Noise level: 65dBA
- Powerful and reliable commercial motor



SPECIFICATIONS	#01P	#63
Hopper Capacity	1kg	1.2kg
Output	>14kg/Hr	>120kg/Hr
Speed	1500 rpm	1500 rpm
Loading	600W	1500W
Dimensions - w x d x h (mm)	250 x 320 x 550	279 x 329 x 677
Net Weight	15kg	40kg

Victoria

ACES	Mobile Service - Melbourne Metro	0409 008 074
Caterquip Maintenance	Mobile Service – Greater Melbourne	(03) 9740 3811
CMS Refrigeration& Electrical Service	11-13 Maynard Drive, Bendigo 3551	0428 694 648
Coldtec Refrigeration	1, 56 Kolora Road, Heidelberg West 3081	0415 855 509
Commkitch Services	Mobile Service – Greater & Metro Melbourne	0424 889 392
Excel Catering Repairs	1, 30 Swanston Street, Preston 3072	1300 809 888
Hospitality Equipment Services (HES)	Mobile Service – South Eastern Suburbs	(03) 5978 4444
Julian's Appliance Centre	8A Riversdale Road, Newtown 3220	(03) 5229 1971
KAOS Venue Services	Mobile Service -11, 18-20 Edward St, Oakleigh 3166	1800 665 267
Manyana Electrical	Mobile Service - South East Suburbs	0411 209 750
Norfolk Foodservices	9, 2-4 Sarton Road, Clayton 3168	1300 304 455
North East Catering Equipment Services	Mobile Service - Wangaratta & Surrounding Suburb	0400 442 074
Roto-Service	34 Regent Street, Prahran 3181	(03) 9525 2883
SOART Electrical Services & Repairs	Mobile - Sale to Malacoota	0448 645 252
Technicater	95 Heywood Street, Bendigo 3550	(03) 5448 4079

Sammic have service agents located right across Australia and New Zealand who are experts when it comes to repairs, servicing or even just for some friendly advice...

Queensland

Beyond Hospitality Supplies	2, 22 Gregory Street, Mackay 4740	(07) 49532475
Caterquip	6 Main Street, Proserpine 4800	(07) 4945 3533
Cater Repair	Mobile Service – 3,9 Smith St, Capalaba 4157	1300 768 199
CCES Mackay	1, 22 Victoria Street, Mackay 4740	(07) 4957 2590
Central Commercial Electrics	85-87 Alma Lane, Rockhampton 4700	(07) 4927 1205
Chef Tech	7, 54 Lysaght Street, Coolum Beach 4573	(07) 5238 8008
Compliant Gas & Electrical	3, 5-11 Daintree Drive, Redland Bay 4165	(07) 3206 7687
CRG Maintenance	13 Ungowa Ave, Pialba 4655	0409 758 204
Gas Electrical Powerzone	Mobile – Helensvale & surrounding areas	(07) 5564 7455
Heated Services	Mobile Service - Brisbane Gold + Sunshine Coast	(07) 3186 8733
JUSTLEC Services	4, 5 Plath Close, Portsmith 4870	(07) 4031 8173
Keith's Food Equipment Repairs	5, 42 Dominions Road, Ashmore 4214	(07) 5597 1550
MVO Services	3 Toonburra Street, Bundaberg 4670	1800 100 764
Noosa Electric Co.	4, 8A Action Street, Noosaville 4566	(07) 5449 7133
Prime Electrical Repair	135 Birdwood Road, Carina Heights 4152	0433 560 037
Refrigeration House of QLD	Mobile Service – All Brisbane Suburbs	(07) 3808 6000
Surefix Gas & Electrical	Mobile Service - Gold Coast	0402 606 180
Tech Express	6, 33 Enterprise Street, Kunda Park 4556	(07) 5456 1922
Tinus Electrical	6, 222 Hartley Street, Bungalow 4870	(07) 4035 5555
T & R Electrical & Air Conditioning	Mobile Service - Townsville Area	0447 169 524

New South Wales

Allied Air Conditioning & Refrigeration	1/24 Isles Drive, Coffs Harbour 2450 + Mobile Service	(02) 6652 5366
Apptec	Mobile Service – Central Coast	0407 229 877
Catering Solutions Repairs	3, 575 Woodville Road, Guildford	1300 765 660
Coffee Fix	Shop 6, Central Cnr, Central Ave, Nowra 2541	(02) 4423 5353
Eurobodalla Refrigeration & Airconditioning	1, 35 Kylie Crescent, Batemans Bay 2536	(02) 4472 5004
FixMe Catering Equipment Repairs	Mobile Service Illawarra & surrounding areas	0407 213 364
GBE Group	Mobile Service – Hunter Region	(02) 4968 7500
Hunter Catering Maintenance	1, 3 Concord Street, Boolaroo	(02) 4949 2444
Kitchen Tech	Mobile Service – Albury-Wodonga	0427 270 872

NSW cont.

Navi Food Equipment	Mobile Service – Sydney Metro	0426 066 030
Ulladulla Refrigeration & Airconditioning	Mobile Service	(02) 4472 5004
Warewashing Solutions	Mobile Service – Sydney Metro	1300 217 411
Worldwide CDM	Mobile Service – Sydney Metro	0412 928 207

ACT

Essential Services	1 , 18 Wollongong Street, Fyshwick 2609	(02) 6280 0301
Total Catering Equipment Repairs	10 Kembla Street, Fyshwick 2609	(02) 6280 5544

Tasmania

Tasmanian Catering Solutions	53 Federal Street, North Hobart, 7000 63 Holbrook Street, Invermay, 7248	(03) 6234 8300
------------------------------	---	----------------

South Australia

BCP Sales & Service	1, 1 Grace Street, Albert Park, 5014	0497 475 377
Donex Electrical	Mobile Service – Adelaide Metro	0429 319 996
Espressoworx	8 Ralston Road, Mt Gambier 5290	(08) 7704 2289

Western Australia

Best Electrical & Gas	6 Graham Street, Albany, 6330	(08) 9842 8899
CCAR Services	71 Hale St, Eaton, 6232	0487 890 895
CPB Electrical & Gas Services	2, 31 Mordaunt Circuit, Canning Vale 6155	(08) 9256 2066
CKSC	2, 90 Discovery Drive, Bibra Lake 6163	1300 799 020
Perth Scale & Slicer Service	1, 195 Bannister Road, Canning Vale 6155	(08) 9256 2544
Strickfuss Electrical Service	2, 15 Furniss Road, Landsdale	(08) 9303 4068

Northern Territory

Arafura Catering Equipment	5 Parap Place, Parap 0820	(08) 8981 6655
----------------------------	---------------------------	----------------

New Zealand

Rankin McManus Electrical	8 Constellation Drive, Rosedale, Auckland 0632	0800 726 546
---------------------------	--	--------------

Sammic | General Sales Conditions

1. Unless agreed in writing by Sammic Australia Pty Ltd. ("Sammic"), these terms and conditions of sale shall apply to the exclusion of all others and any terms and conditions of the customer, (whether on customers order forms or otherwise), which are contrary to or inconsistent with these terms and conditions shall not apply nor shall they constitute a counter offer. No goods or services will be supplied by Sammic on any terms and conditions other than those set out herein. By taking delivery of goods, the customer shall be deemed to agree to these terms and conditions which shall apply to the exclusion of all others.
2. Unless otherwise expressly agreed by Sammic in writing, all goods will be charged for at the price ruling at the date or dates of delivery.
3. If a delivery date is specified, Sammic will endeavour to deliver within the time so specified but in no circumstances will Sammic be liable for any loss or any damage of any kind whatsoever caused directly or indirectly by any delay in or failure of delivery.
4. Risk in the goods passes to the customer upon delivery when goods are dispatched per Sammic preferred carrier. Freight on any sale will be charged to the customer's account, unless another carrier is requested by the customer. Goods dispatched via customer's requested carrier will not be insured by Sammic and all risk passes upon pick up of goods from the Sammic warehouse.
5. **DAMAGE IN TRANSIT:** If any items arrive at the customer damaged during transit, the customer must notify Sammic within three business days of receipt/POD. Any claims of damage due to transport after three business days will not be accepted.
6. Property of goods supplied to the customer shall not pass from Sammic to the customer until the customer has paid for them in full.
7. **TERMS OF PAYMENT:** Unless otherwise agreed by Sammic, all goods will be supplied on a cash before delivery basis. The extension of credit to the customer by Sammic shall be at the absolute discretion of Sammic, which discretion may be varied from time to time and where extended unless otherwise advised by Sammic. Sammic requires payment in full on or before the expiry of 30 days after the end of the month of the invoice date, unless otherwise agreed to in writing. In the event that payment for any invoice has not been received within 30 days of the last day of the month of the invoice, Sammic may, at their discretion, immediately cease any extension of credit; and/or charge the customer interest on overdue amounts, such interest to be calculated daily on the balance outstanding; and/or charge the customer all administration fees and other costs incurred by Sammic in relation to collection of the outstanding amounts owed by the customer to Sammic. If all accounts are not paid within the terms stated above, goods must be stored on the customer's premises so that they are clearly identifiable as property of Sammic and, if required, immediate return of goods must be executed at no cost to Sammic whatsoever.
8. If, notwithstanding that the ownership of the goods have not passed to the customer, the customer has sold to a third party, the customer solely sells as a trustee for Sammic and all proceeds or any property purchased with such proceeds shall be held on trust to Sammic.
9. Accounts over 60 days unpaid will be placed on "stop supply" until settled. The 60 days commences on the first day of the month next following the month of the invoice.
10. **WARRANTY:** Conditions as per Sammic Warranty Card. All conditions and warranties expressed or implied by statute, the common law, equity, trade, custom or usage or otherwise howsoever are hereby expressly excluded to the maximum extent permitted by law, where so permitted the liability of Sammic for a breach of a condition or a warranty that cannot be excluded is limited at Sammic's option to the replacement or repair of the goods or the supply of equivalent goods or the cost of replacing or repairing the goods or of acquiring equivalent goods. Sammic shall not be liable in any way whatsoever for any indirect or consequential loss or loss of profit.
11. Failure by Sammic to insist upon strict performance of any terms and conditions herein shall not be deemed a waiver of any subsequent breach of any term or condition.
12. All goods manufactured are subject to manufacturing tolerances, Sammic does not warrant that all goods produced will comply exactly with the specifications in every respect and the customer agrees to accept the goods, provided that the variations from the specifications do not exceed reasonable commercial limits.
13. **CREDITS:** Standard products as listed in current Sammic published price lists may be credited if returned to Sammic within fourteen days of delivery, free into Sammic store in original packaging in an unused, unsoiled, undamaged, resaleable condition. Goods must be accompanied by a delivery docket stating Sammic's original invoice number, date of purchase, customers original purchase order number and reason for return. Goods received from fourteen to thirty days of delivery will incur a 25% cancellation fee. Goods will not be accepted for return after thirty days from delivery. Sammic reserves the right to refuse credit for any goods returned if the claim is considered unjustified after inspection.

**MIX
GRIND
POLISH
PREPARE
PRESERVE
COLDPRESS
JUICE
PACKAGE
CRUSH
TOAST
PROCESS
SCOOP
CLEAN
HEAT**



SAMMIC AUSTRALIA
QUALITY FOODSERVICE EQUIPMENT

Sammic Australia Pty Ltd
Unit 23/91 Tulip Street,
Cheltenham VIC 3192 Australia
T +61 3 9584 0933
E sales@sammic.com.au
ABN 30 080 241 729

www.sammic.com.au

