



HEATED TANK 120P 230/5060/1 AUS · 120 L / 30 GAL



P/N 1180424



SALES DESCRIPTION

Connected to and controlled by SmartVide XL.

Connected to and controlled by SmartVide XL to reach the set temperature faster.

- ✓ Connected to and controlled by SmartVide XL immersion circulator.
- ✓ Intelligent interaction allows for optimization of heating times.
- ✓ This is specially useful to cook very cold or frozen products.
- ✓ Stainless steel made.
- ✓ Complete with drain key.
- ✓ 120P: complete with filling tap.

* Please note: SmartVide immersion circulator must be ordered separately.

SPECIFICATIONS

Maximum recipient capacity: Maximum recipient capacity

Total loading: 3000 W

Electrical supply: 230 V / 50-60 Hz / 1~ (12 A)

Internal dimensions: 630 mm x 510 mm x 375 mm

External dimensions (W x D x H): 630 mm x 510 mm x 375 mm

Net weight: 39,3 kg

FOOD PRESERVATION AND SOUS-VIDE
SMARTVIDE SOUS-VIDE COOKERS



product sheet
updated 10/04/2025




HEATED TANK 120P 230/5060/1 AUS · 120 L / 30 GAL



P/N 1180424

FOOD PRESERVATION AND SOUS-VIDE
SMARTVIDE SOUS-VIDE COOKERS



sammic | sammic.com
Food Service Equipment Manufacturer

Polígono Basarte, 1. phone +34 943 15 72 36
20720 Azkoitia, Spain sales@sammic.com



Project	Date
Item	Qty
Approved	

product sheet
updated 10/04/2025